

10582693

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal6l2bxx

PASSWORD:

\* \* \* \* \* RECONNECTED TO STN INTERNATIONAL \* \* \* \* \*  
SESSION RESUMED IN FILE 'CAOLD' AT 19:05:44 ON 11 JUL 2007  
FILE 'CAOLD' ENTERED AT 19:05:44 ON 11 JUL 2007  
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.50	763.70
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-56.16

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.50	763.70
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-56.16

FILE 'REGISTRY' ENTERED AT 19:05:51 ON 11 JUL 2007  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 JUL 2007 HIGHEST RN 942116-98-5  
DICTIONARY FILE UPDATES: 10 JUL 2007 HIGHEST RN 942116-98-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

Updated Search

10582693

=> d his

(FILE 'HOME' ENTERED AT 18:31:48 ON 11 JUL 2007)

FILE 'REGISTRY' ENTERED AT 18:32:11 ON 11 JUL 2007

L1 STRUCTURE UPLOADED

L2 29 S L1

L3 625 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 18:38:37 ON 11 JUL 2007

L4 76 S L3

FILE 'REGISTRY' ENTERED AT 18:40:33 ON 11 JUL 2007

L5 STRUCTURE UPLOADED

L6 24 S L5

L7 488 S L5 FULL

FILE 'HCAPLUS' ENTERED AT 18:43:37 ON 11 JUL 2007

L8 72 S L7

L9 0 S L8 AND JONES, W?/AU

L10 14 S L8 AND PD < JANUARY 2005

FILE 'CAOLD' ENTERED AT 18:45:15 ON 11 JUL 2007

L11 0 S L7

FILE 'HCAPLUS' ENTERED AT 18:45:23 ON 11 JUL 2007

L12 58 S L8 NOT L10

FILE 'CAOLD' ENTERED AT 18:48:26 ON 11 JUL 2007

L13 0 S L7

FILE 'REGISTRY' ENTERED AT 19:05:51 ON 11 JUL 2007

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.45

764.15

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-56.16

FILE 'REGISTRY' ENTERED AT 19:06:03 ON 11 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 10 JUL 2007 HIGHEST RN 942116-98-5

DICTIONARY FILE UPDATES: 10 JUL 2007 HIGHEST RN 942116-98-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Updated Search

10582693

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> d l10, ibib abs hitstr, 1-14

YOU HAVE REQUESTED DATA FROM FILE 'HCAPLUS' - CONTINUE? (Y)/N:y

L10 ANSWER 1 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:39163 HCAPLUS

DOCUMENT NUMBER: 144:287800

TITLE: Fluopicolide, a novel fungicide with a unique mode of action, setting a new standard for Oomycete control  
AUTHOR(S): Tafforeau, S.; Wegmann, T.; Latorse, M. P.; Gouot, J. M.; Duvert, P.; Bardsley, E.

CORPORATE SOURCE: Bayer CropScience AG, Monheim, 40789, Germany  
SOURCE: Congress Proceedings - BCPC International Congress: Crop Science & Technology, Glasgow, United Kingdom, Oct. 31-Nov. 2, 2005 (2005), Volume 1, 79-86. British Crop Protection Council: Alton, UK. CODEN: 69HSFT; ISBN: 1-901396-65-7

DOCUMENT TYPE: Conference; General Review

LANGUAGE: English


AB A review. Fluopicolide is a novel fungicide of the new chemical class, acylpicolides, discovered and developed by Bayer CropScience. Fluopicolide exhibits a high level of efficacy against a wide range of Oomycete diseases such as potato late blight caused by *Phytophthora infestans* and grapevine downy mildew caused by *Plasmopara viticola*. Fluopicolide shows translaminar and systemic properties in plant tissues and offers strong, long-lasting protectant disease control at low dose rates. Fluopicolide has a novel biochem. mode of action and no cross resistance with other chemical families. Protectant foliar applications of fluopicolide consistently demonstrated excellent long-lasting disease control during 5 years of field trials, in a range of crops including grapevine and potato.

IT 239110-15-7

RL: ADV (Adverse effect, including toxicity); AGR (Agricultural use); DMA (Drug mechanism of action); BIOL (Biological study); USES (Uses) (novel fungicide fluopicolide)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



Updated Search

10582693

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 2 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:902054 HCAPLUS

DOCUMENT NUMBER: 141:327110

TITLE: Synergistic fungicidal composition comprising a pyridylmethylbenzamide derivative and chlorothalonil

INVENTOR(S): Latorse, Marie-Pascale; Mercer, Richard; Wegmann, Thomas

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: PCT Int. Appl., 20 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004091299	A1	20041028	WO 2004-EP4529	20040414 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2515224	A1	20041028	CA 2004-2515224	20040414 <--
EP 1617719	A1	20060125	EP 2004-727291	20040414
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR			
BR 2004008039	A	20060214	BR 2004-8039	20040414
CN 1770979	A	20060510	CN 2004-80009448	20040414
JP 2006523653	T	20061019	JP 2006-505318	20040414
IN 2005DN03555	A	20070105	IN 2005-DN3555	20050810
US 2006293369	A1	20061228	US 2005-553363	20051014
PRIORITY APPLN. INFO.:			EP 2003-356065	A 20030415
			WO 2004-EP4529	W 20040414

OTHER SOURCE(S): MARPAT 141:327110

GI



Updated Search

10582693

AB The title composition comprises at least a pyridylmethylbenzamide derivative I  
[R1

= H or (un)substituted alkyl or acyl; R2 = H or (un)substituted alkyl; R3, R4 = halo, OH, CN, NO2, SF5, etc.; p, q = 0, 1-4] and chlorothalonil.

IT 773877-38-6 773877-39-7 773877-40-0

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 773877-38-6 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 2,4,5,6-tetrachloro-1,3-benzenedicarbonitrile (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 1897-45-6

CMF C8 Cl4 N2



RN 773877-39-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitro-, mixt. with 2,4,5,6-tetrachloro-1,3-benzenedicarbonitrile (9CI)  
(CA INDEX NAME)


CM 1

CRN 455300-64-8

CMF C14 H8 Cl F4 N3 O3

Updated Search


10582693



CM 2

CRN 1897-45-6

CMF C8 C14 N2




RN 773877-40-0 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-nitro-, mixt. with 2,4,5,6-tetrachloro-1,3-benzenedicarbonitrile (9CI)  
(CA INDEX NAME)

CM 1

CRN 239111-66-1

CMF C15 H11 Cl F3 N3 O3




CM 2

CRN 1897-45-6

CMF C8 C14 N2

Updated Search



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:162541 HCAPLUS

DOCUMENT NUMBER: 140:176744

TITLE: Preparation of 2-pyridylethylbenzamide derivative fungicides

INVENTOR(S): Mansfield, Darren James; Cooke, Tracey; Thomas, Peter Stanley; Coqueron, Pierre-Yves; Vors, Jean-Pierre; Briggs, Geoffrey Gower; Lachaise, Helene; Rieck, Heiko; Desbordes, Philippe; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: PCT Int. Appl., 35 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004016088	A2	20040226	WO 2003-EP9516	20030808 <--
WO 2004016088	A3	20040325		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1389614	A1	20040218	EP 2002-356159	20020812 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK			
CA 2492173	A1	20040226	CA 2003-2492173	20030808 <--
AU 2003266316	A1	20040303	AU 2003-266316	20030808 <--
EP 1531673	A2	20050525	EP 2003-787805	20030808
EP 1531673	B1	20060104		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
BR 2003013340	A	20050712	BR 2003-13340	20030808
CN 1674784	A	20050928	CN 2003-819471	20030808
JP 2005535714	T	20051124	JP 2004-528509	20030808


10582693

NZ 537608  
US 2005234110  
PRIORITY APPLN. INFO.:

A 20060428  
A1 20051020

NZ 2003-537608 20030808  
US 2005-524345 20050211  
EP 2002-356159 A 20020812  
FR 2003-5233 A 20030429  
WO 2003-EP9516 W 20030808

OTHER SOURCE(S): MARPAT 140:176744  
GI



AB The 2-pyridylethylbenzamide derivs. I, in which p is 1, 2, 3 or 4; q is 1, 2, 3, 4 or 5; X is chosen, halo, alkyl or haloalkyl, at least one of the substituents being a haloalkyl; Y is halo, alkyl, alkenyl, alkynyl, haloalkyl, alkoxy, amino, phenoxy, alkylthio, dialkylamino, acyl, cyano, ester, hydroxy, aminoalkyl, benzyl, haloalkoxy, halosulfonyl, halothioalkyl, alkoxyalkenyl, alkylsulfonamide, nitro, alkylsulfonyl, phenylsulfonyl or benzylsulfonyl; as well as I N-oxides are prepared as fungicides. N-(2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-ethyl)-2,6-dichlorobenzamide is an exception. Method for treating phytopathogenic diseases.

IT 658066-16-1P 658066-17-2P 658066-19-4P  
658066-20-7P 658066-21-8P 658066-22-9P  
658066-23-0P 658066-24-1P 658066-35-4P  
658066-40-1P 659743-70-1P 659743-74-5P  
659743-78-9P 659743-82-5P 659743-85-8P  
659743-86-9P 659743-87-0P 659743-88-1P  
659743-89-2P 659743-90-5P 659743-91-6P  
659743-92-7P 659743-93-8P 659743-94-9P  
659743-95-0P 659743-96-1P 659743-97-2P  
659743-98-3P 659743-99-4P 659744-00-0P  
659744-01-1P 659744-02-2P 659744-03-3P  
659744-04-4P 659744-05-5P 659744-06-6P  
659744-07-7P 659744-08-8P 659744-09-9P  
659744-10-2P 659744-11-3P 659744-12-4P  
659744-13-5P 659744-14-6P 659744-15-7P  
659744-16-8P 659744-17-9P 659744-18-0P  
659744-19-1P 659744-20-4P 659744-21-5P  
659744-22-6P 659744-23-7P 659744-24-8P  
659744-25-9P 659744-26-0P 659744-27-1P  
659744-28-2P 659744-29-3P 659744-30-6P  
659744-31-7P 659744-32-8P 659744-33-9P  
659744-34-0P 659744-35-1P 659744-36-2P  
659744-37-3P 659744-38-4P 659744-39-5P  
659744-40-8P 659744-41-9P 659744-42-0P  
659744-43-1P 659744-44-2P 659744-45-3P  
659744-46-4P 659744-47-5P 659744-48-6P  
659744-49-7P 659744-50-0P 659744-51-1P  
659744-52-2P 659744-53-3P 659744-54-4P  
659744-55-5P 659744-56-6P 659744-57-7P

Updated Search




659744-58-8P 659744-59-9P 659744-60-2P  
 659744-61-3P 659744-62-4P 659744-63-5P  
 659744-64-6P 659744-65-7P 659744-66-8P  
 659744-67-9P 659744-68-0P 659744-69-1P  
 659744-70-4P 659744-71-5P 659744-72-6P  
 659744-73-7P 659744-74-8P 659744-75-9P  
 659744-76-0P 659744-77-1P 659744-78-2P  
 659744-79-3P 659744-80-6P 659744-81-7P  
 659744-82-8P 659744-83-9P 659744-84-0P  
 659744-86-2P 659744-87-3P 659744-88-4P  
 659744-89-5P 659744-90-8P 659744-92-0P  
 659744-93-1P 659744-94-2P 659744-95-3P  
 659744-96-4P 659744-97-5P 659744-98-6P  
 659744-99-7P 659745-00-3P 659745-02-5P  
 659745-04-7P 659745-05-8P 659745-06-9P  
 659745-07-0P 659745-08-1P 659745-09-2P  
 659745-10-5P 659745-11-6P 659745-13-8P  
 659745-14-9P 659745-15-0P 659745-16-1P  
 659745-17-2P 659745-18-3P 659745-19-4P  
 659745-20-7P 659745-21-8P 659745-22-9P  
 659745-23-0P 659745-24-1P 659745-25-2P  
 659745-26-3P 659745-27-4P 659745-28-5P  
 659745-29-6P 659745-30-9P 659745-31-0P  
 659745-32-1P 659745-33-2P 659745-34-3P  
 659745-35-4P 659745-36-5P 659745-37-6P  
 659745-38-7P 659745-40-1P 659745-41-2P  
 659745-42-3P 659745-43-4P 659745-44-5P

RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation as fungicide)


RN 658066-16-1 HCAPLUS

CN Benzamide, 2-(trifluoromethyl)-N-[2-[5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
 pyridinyl]ethyl)- (9CI) (CA INDEX NAME)



RN 658066-17-2 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
 (9CI) (CA INDEX NAME)




RN 658066-19-4 HCAPLUS

Updated Search


10582693

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-  
(9CI) (CA INDEX NAME)




RN 658066-20-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-  
difluoro- (9CI) (CA INDEX NAME)




RN 658066-21-8 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-  
pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 658066-22-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methoxy-  
(9CI) (CA INDEX NAME)




RN 658066-23-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3-  
dimethoxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 658066-24-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-  
(9CI) (CA INDEX NAME)




RN 658066-35-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethyl)- (CA INDEX NAME)



RN 658066-40-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-  
difluoro- (9CI) (CA INDEX NAME)




RN 659743-70-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-  
dimethoxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659743-74-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-nitro-  
(9CI) (CA INDEX NAME)




RN 659743-78-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,5-difluoro- (9CI) (CA INDEX NAME)



RN 659743-82-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4,6-trimethyl- (9CI) (CA INDEX NAME)




RN 659743-85-8 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3,6-trifluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659743-86-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4,5-trifluoro- (9CI) (CA INDEX NAME)




RN 659743-87-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4,6-trifluoro- (9CI) (CA INDEX NAME)



RN 659743-88-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3,4,5-tetrafluoro- (9CI) (CA INDEX NAME)




RN 659743-89-2 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-6-fluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659743-90-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo-  
(9CI) (CA INDEX NAME)




RN 659743-91-6 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
(9CI) (CA INDEX NAME)



RN 659743-92-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro-  
2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659743-93-8 HCAPLUS

CN Benzamide, 2,3-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-  
pyridinyl]ethyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659743-94-9 HCAPLUS

CN Benzamide, 2,5-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 659743-95-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylamino)- (9CI) (CA INDEX NAME)



RN 659743-96-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy- (9CI) (CA INDEX NAME)




RN 659743-97-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy-3-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659743-98-3 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy- (9CI) (CA INDEX NAME)




RN 659743-99-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy-4-methoxy- (9CI) (CA INDEX NAME)



RN 659744-00-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy-4-methyl- (9CI) (CA INDEX NAME)




RN 659744-01-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro-2-hydroxy- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 659744-02-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy-5-methoxy- (9CI) (CA INDEX NAME)




RN 659744-03-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy-5-methyl- (9CI) (CA INDEX NAME)



RN 659744-04-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3-dimethyl- (9CI) (CA INDEX NAME)




RN 659744-05-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-dimethyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-06-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,5-dimethyl- (9CI) (CA INDEX NAME)




RN 659744-07-7 HCAPLUS

CN Benzamide, 3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-hydroxy- (9CI) (CA INDEX NAME)



RN 659744-08-8 HCAPLUS

CN Benzamide, 3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro- (9CI) (CA INDEX NAME)




RN 659744-09-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-6-hydroxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-10-2 HCAPLUS

CN Benzamide, 3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl- (9CI) (CA INDEX NAME)




RN 659744-11-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro-2-methyl- (9CI) (CA INDEX NAME)



RN 659744-12-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-2-hydroxy- (9CI) (CA INDEX NAME)




RN 659744-13-5 HCAPLUS

CN Benzamide, 5-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-14-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-hydroxy-2-methyl- (9CI) (CA INDEX NAME)




RN 659744-15-7 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-methoxy- (9CI) (CA INDEX NAME)



RN 659744-16-8 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,5-bis(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-17-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-18-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-bis(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-19-1 HCAPLUS

CN Benzamide, 3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-6-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 659744-20-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(phenylmethyl)- (9CI) (CA INDEX NAME)




RN 659744-21-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-3-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-22-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-3,5-dinitro- (9CI) (CA INDEX NAME).




RN 659744-23-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-5-nitro- (9CI) (CA INDEX NAME)



RN 659744-24-8 HCAPLUS

CN Benzamide, 4-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl- (9CI) (CA INDEX NAME)




RN 659744-25-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-methoxy-2-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-26-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3,4-trimethoxy- (9CI) (CA INDEX NAME)




RN 659744-27-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-dimethoxy- (9CI) (CA INDEX NAME)



RN 659744-28-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4,5-trimethoxy- (9CI) (CA INDEX NAME)




RN 659744-29-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,5-dimethoxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-30-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-ethoxy-  
(9CI) (CA INDEX NAME)




RN 659744-31-7 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
2-methoxy- (9CI) (CA INDEX NAME)



RN 659744-32-8 HCAPLUS

CN Benzamide, 5-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
2-methoxy- (9CI) (CA INDEX NAME)




RN 659744-33-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethoxy)- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 659744-34-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro-2-methoxy- (9CI) (CA INDEX NAME)




RN 659744-35-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-propoxy- (9CI) (CA INDEX NAME)



RN 659744-36-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-(1,1-dimethylethyl)-2-methoxy- (9CI) (CA INDEX NAME)




RN 659744-37-3 HCAPLUS

CN Benzamide, 5-bromo-2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-38-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3,5-triiodo- (9CI) (CA INDEX NAME)




RN 659744-39-5 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-nitro- (9CI) (CA INDEX NAME)



RN 659744-40-8 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-nitro- (9CI) (CA INDEX NAME)




RN 659744-41-9 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-42-0 HCAPLUS

CN Benzenesulfonyl fluoride, 4-chloro-3-[[[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]amino]carbonyl]- (9CI) (CA INDEX NAME)




RN 659744-43-1 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-(methylthio)- (9CI) (CA INDEX NAME)



RN 659744-44-2 HCAPLUS

CN Benzamide, 2-bromo-5-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 659744-45-3 HCAPLUS

CN Benzamide, 2,5-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-46-4 HCAPLUS

CN Benzamide, 2,5-dibromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 659744-47-5 HCAPLUS

CN Benzamide, 2,3,5-trichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 659744-48-6 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-49-7 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-50-0 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro- (9CI) (CA INDEX NAME)




RN 659744-51-1 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4,5-difluoro- (9CI) (CA INDEX NAME)



RN 659744-52-2 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3,4-dimethoxy- (9CI) (CA INDEX NAME)




RN 659744-53-3 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-54-4 HCAPLUS

CN Benzamide, 2-bromo-4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 659744-55-5 HCAPLUS

CN Benzamide, 2-bromo-3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 659744-56-6 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 659744-57-7 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3,6-difluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-58-8 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-ethyl- (9CI) (CA INDEX NAME)




RN 659744-59-9 HCAPLUS

CN Benzoic acid, 5-[[[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]amino]carbonyl]-2,4-dimethyl-, ethyl ester (9CI) (CA INDEX NAME)



RN 659744-60-2 HCAPLUS

CN Benzamide, 5-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3-dimethyl- (9CI) (CA INDEX NAME)




RN 659744-61-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-2-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-62-4 HCAPLUS

CN Benzamide, 3-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-2-methyl- (9CI) (CA INDEX NAME)




RN 659744-63-5 HCAPLUS

CN Benzamide, 4-chloro-2-(2-chloro-1,1,2-trifluoroethoxy)-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 659744-64-6 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(2-propenyloxy)- (9CI) (CA INDEX NAME)




RN 659744-65-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(2-propenyloxy)- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 659744-66-8 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro- (9CI) (CA INDEX NAME)




RN 659744-67-9 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-3,5-dimethyl- (9CI) (CA INDEX NAME)



RN 659744-68-0 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-6-fluoro-3-methyl- (9CI) (CA INDEX NAME)




RN 659744-69-1 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-70-4 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-71-5 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)- (9CI) (CA INDEX NAME)



RN 659744-72-6 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylsulfonyl)- (9CI) (CA INDEX NAME)




RN 659744-73-7 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-74-8 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(methylsulfonyl)- (9CI) (CA INDEX NAME)




RN 659744-75-9 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-cyano- (9CI) (CA INDEX NAME)



RN 659744-76-0 HCAPLUS

CN Benzamide, 2,3,4-trichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 659744-77-1 HCAPLUS

CN Benzamide, 4-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylsulfonyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-78-2 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-methyl- (9CI) (CA INDEX NAME)




RN 659744-79-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-[(dimethylamino)sulfonyl]-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 659744-80-6 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-hydroxy-4-(methylsulfonyl)- (9CI) (CA INDEX NAME)




RN 659744-81-7 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(methylsulfonyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-82-8 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(methylsulfonyl)-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-83-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylsulfonyl)-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 659744-84-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-2-(methylthio)- (9CI) (CA INDEX NAME)




RN 659744-86-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-4-(methylthio)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-87-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659744-88-4 HCAPLUS

CN Benzamide, 3,4-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)- (9CI) (CA INDEX NAME)



RN 659744-89-5 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(methylthio)- (9CI) (CA INDEX NAME)




RN 659744-90-8 HCAPLUS

CN Benzamide, 3-bromo-4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-92-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro-3-methoxy-2-(methylthio)- (9CI) (CA INDEX NAME)




RN 659744-93-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-difluoro-3-methoxy- (9CI) (CA INDEX NAME)



RN 659744-94-2 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-(methylthio)- (9CI) (CA INDEX NAME)




RN 659744-95-3 HCAPLUS

CN Benzamide, 3-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(1-methylethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659744-96-4 HCAPLUS

CN Benzamide, 4-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-ethyl- (9CI) (CA INDEX NAME)




RN 659744-97-5 HCAPLUS

CN Benzamide, 4-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)- (9CI) (CA INDEX NAME)



RN 659744-98-6 HCAPLUS

CN Benzamide, 2,4-dibromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-methoxy- (9CI) (CA INDEX NAME)




RN 659744-99-7 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro-2-(methylsulfonyl)- (9CI) (CA INDEX NAME)


Updated Search






RN 659745-00-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4,5-dimethyl-2-nitro- (9CI) (CA INDEX NAME)




RN 659745-02-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-[(dimethylamino)sulfonyl]-2,4-difluoro- (9CI) (CA INDEX NAME)



RN 659745-04-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-4-(methylsulfonyl)- (9CI) (CA INDEX NAME)




Updated Search

10582693


RN 659745-05-8 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro-2-methyl- (9CI) (CA INDEX NAME)




RN 659745-06-9 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-fluoro-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659745-07-0 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-(trifluoromethoxy)- (9CI) (CA INDEX NAME)



RN 659745-08-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-difluoro-3-(methylthio)- (9CI) (CA INDEX NAME)




Updated Search

10582693


RN 659745-09-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-ethenyl-4-fluoro- (9CI) (CA INDEX NAME)




RN 659745-10-5 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(methylthio)- (9CI) (CA INDEX NAME)




RN 659745-11-6 HCAPLUS

CN Benzamide, 4-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-3-(methylthio)- (9CI) (CA INDEX NAME)



RN 659745-13-8 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-cyano- (9CI) (CA INDEX NAME)




RN 659745-14-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methoxy-4-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-15-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659745-16-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-6-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 659745-17-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-6-iodo- (9CI) (CA INDEX NAME)




RN 659745-18-3 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-19-4 HCAPLUS

CN Benzamide, 4-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo- (9CI) (CA INDEX NAME)




RN 659745-20-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo-5-methyl- (9CI) (CA INDEX NAME)



RN 659745-21-8 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-methyl- (9CI) (CA INDEX NAME)




RN 659745-22-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo-3-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-23-0 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-methyl- (9CI) (CA INDEX NAME)




RN 659745-24-1 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4,5-dimethoxy- (9CI) (CA INDEX NAME)



RN 659745-25-2 HCAPLUS

CN Benzamide, 6-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-3-methyl- (9CI) (CA INDEX NAME)




RN 659745-26-3 HCAPLUS

CN Benzamide, 5-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-27-4 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-methyl- (9CI) (CA INDEX NAME)




RN 659745-28-5 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-iodo- (9CI) (CA INDEX NAME)



RN 659745-29-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro-2-methyl- (9CI) (CA INDEX NAME)




RN 659745-30-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(difluoromethoxy)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-31-0 HCAPLUS

CN Benzamide, 5-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo- (9CI) (CA INDEX NAME)




RN 659745-32-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo-4,5-dimethoxy- (9CI) (CA INDEX NAME)



RN 659745-33-2 HCAPLUS

CN Benzamide, 2-bromo-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-4-fluoro- (9CI) (CA INDEX NAME)




RN 659745-34-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(difluoromethyl)- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 659745-35-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-[(difluoromethyl)thio]- (9CI) (CA INDEX NAME)




RN 659745-36-5 HCAPLUS

CN Benzamide, 3-amino-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl- (9CI) (CA INDEX NAME)



RN 659745-37-6 HCAPLUS

CN Benzamide, 2-amino-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-3-methyl- (9CI) (CA INDEX NAME)




RN 659745-38-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(1-methylethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 659745-40-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-1-oxido-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 659745-41-2 HCAPLUS

CN Benzamide, N-[2-[3-chloro-1-oxido-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methoxy- (9CI) (CA INDEX NAME)



RN 659745-42-3 HCAPLUS

CN Benzamide, N-[2-[3-chloro-1-oxido-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-difluoro- (9CI) (CA INDEX NAME)




RN 659745-43-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-1-oxido-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693



RN 659745-44-5 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-1-oxido-5-(trifluoromethyl)-2-pyridinyl]ethyl]-6-fluoro- (9CI) (CA INDEX NAME)



L10 ANSWER 4 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:136478 HCAPLUS

DOCUMENT NUMBER: 140:181332

TITLE: Preparation of N-[2-(2-pyridyl)ethyl]benzamides as fungicides

INVENTOR(S): Mansfield, Darren James; Cooke, Tracey; Thomas, Peter Stanley; Vors, Jean-Pierre; Coqueron, Pierre-Yves; Briggs, Geoffrey Gower; Lachaise, Helene

PATENT ASSIGNEE(S): Bayer Cropscience S.A., Fr.

SOURCE: Eur. Pat. Appl., 17 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:



PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1389614	A1	20040218	EP 2002-356159	20020812 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
CA 2492173	A1	20040226	CA 2003-2492173	20030808 <--
WO 2004016088	A2	20040226	WO 2003-EP9516	20030808 <--
WO 2004016088	A3	20040325		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003266316	A1	20040303	AU 2003-266316	20030808 <--

Updated Search

EP 1531673	A2	20050525	EP 2003-787805	20030808
EP 1531673	B1	20060104		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003013340	A	20050712	BR 2003-13340	20030808
CN 1674784	A	20050928	CN 2003-819471	20030808
JP 2005535714	T	20051124	JP 2004-528509	20030808
AT 314808	T	20060215	AT 2003-787805	20030808
ES 2250921	T3	20060416	ES 2003-3787805	20030808
NZ 537608	A	20060428	NZ 2003-537608	20030808
US 2005234110	A1	20051020	US 2005-524345	20050211
PRIORITY APPLN. INFO.:			EP 2002-356159	A 20020812
			FR 2003-5233	A 20030429
			WO 2003-EP9516	W 20030808

OTHER SOURCE(S): MARPAT 140:181332

GI



AB Title compds. I [wherein X = independently halo, halogeno/alkyl; Y = independently halo, halogeno/alkyl, alkoxy, phenoxy, alkylthio, dialkylamino, acyl, CN, NO<sub>2</sub>, alkylsulfonyl, phenylsulfonyl, benzylsulfonyl, S-Ph substituted by a halogen; p = 1-4; q = 1-5; with the exception of N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-dichlorobenzamide] were prepared as fungicides, in particular as fungicidal compns. for controlling phytopathogenic fungi of crops. For example, II was prepared in 4 steps by reaction of 2,3-dichloro-5-(trifluoromethyl)pyridine with Me cyanoacetate in DMF, decarboxylation in H<sub>2</sub>O/DMSO, Pd/C hydrogenation, and acylation with 2-chlorobenzoyl chloride. In vivo tests of activity upon *Alternaria brassicae*, *Botrytis cinerea*, *Pyrenophora teres*, and *Septoria nodorum* by selected I are reported, demonstrating their fungicide efficiency (no data). Fungicidal compns. contain 0.05 to 99% active pyridylethylbenzamide.

IT 658066-16-1P 658066-17-2P 658066-19-4P  
658066-20-7P 658066-21-8P 658066-22-9P  
658066-23-0P 658066-24-1P 658066-35-4P  
658066-40-1P


RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)

10582693

(fungicide; preparation of fungicidal pyridylethylbenzamides)


RN 658066-16-1 HCAPLUS

CN Benzamide, 2-(trifluoromethyl)-N-[2-[5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 658066-17-2 HCAPLUS

CN Benzamide, 2-chloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 658066-19-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro- (9CI) (CA INDEX NAME)



RN 658066-20-7 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-difluoro- (9CI) (CA INDEX NAME)




RN 658066-21-8 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 658066-22-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methoxy-  
(9CI) (CA INDEX NAME)




RN 658066-23-0 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3-  
dimethoxy- (9CI) (CA INDEX NAME)



RN 658066-24-1 HCAPLUS


CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl-  
(9CI) (CA INDEX NAME)



RN 658066-35-4 HCAPLUS


CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethyl)- (CA INDEX NAME)

Updated Search



RN 658066-40-1 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-difluoro- (9CI) (CA INDEX NAME)



L10 ANSWER 5 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:378633 HCAPLUS

DOCUMENT NUMBER: 138:350011

TITLE: Synergistic fungicidal composition comprising pyridylmethylbenzamide and valinamide derivatives

INVENTOR(S): Wegmann, Thomas; Mercer, Richard

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: Fr. Demande, 26 pp.

CODEN: FRXXBL

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2832031	A1	20030516	FR 2001-14692	20011114 <--
CA 2463718	A1	20030522	CA 2002-2463718	20021113 <--
WO 2003041501	A1	20030522	WO 2002-EP13490	20021113 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002363604	A1	20030526	AU 2002-363604	20021113 <--
EP 1443821	A1	20040811	EP 2002-790457	20021113 <--
EP 1443821	B1	20061115		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
BR 2002014180	A	20040831	BR 2002-14180	20021113 <--

10582693

CN 1585603	A	20050223	CN 2002-822487	20021113
JP 2005508991	T	20050407	JP 2003-543401	20021113
AT 345043	T	20061215	AT 2002-790457	20021113
TW 253901	B	20060501	TW 2002-91133385	20021114
IN 2004DN00890	A	20070302	IN 2004-DN890	20040406
ZA 2004003506	A	20050407	ZA 2004-3506	20040507
US 2004266729	A1	20041230	US 2004-495713	20040514 <--
PRIORITY APPLN. INFO.:			FR 2001-14692	A 20011114
			WO 2002-EP13490	W 20021113

OTHER SOURCE(S):            MARPAT 138:350011  
GI




AB Synergistic fungicidal compns. comprise a pyridylmethylbenzamide derivative I [R1 = H, (un)substituted alkyl or acyl; R2 = H or (un)substituted alkyl; R3, R4 = halo, OH, CN, NO2, etc.; m, n = 0, 1-4] and a valinamide derivative, preferably iprovalicarb and N1-[(R)-1-(6-fluoro-2-benzothiazolyl)ethyl]-N2-isopropoxycarbonyl-L-valinamide.

IT 239110-15-7D, mixts. with valinamide derivs. 239111-66-1D, mixts. with valinamide derivs. 455300-64-8D, mixts. with valinamide derivs.

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




RN 239111-66-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-nitro- (9CI) (CA INDEX NAME)


Updated Search





RN 455300-64-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitro- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 6 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:322132 HCAPLUS

DOCUMENT NUMBER: 138:299225

TITLE: Synergistic fungicidal composition comprising pyridylmethylbenzamide and dithiocarbamate derivatives

INVENTOR(S): Mercer, Richard; Wegmann, Thomas

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: Fr. Demande, 27 pp.

CODEN: FRXXBL

DOCUMENT TYPE: Patent

LANGUAGE: French

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2831022	A1	20030425	FR 2001-13688	20011023 <--
FR 2831022	B1	20040123		
TW 235036	B	20050701	TW 2002-91124077	20021018
CA 2466798	A1	20030501	CA 2002-2466798	20021021 <--
WO 2003034824	A1	20030501	WO 2002-EP13789	20021021 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002356630	A1	20030506	AU 2002-356630	20021021 <--
EP 1437939	A1	20040721	EP 2002-801920	20021021 <--


Updated Search

10582693

EP 1437939 B1 20051228  
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK  
BR 2002013673 A 20041026 BR 2002-13673 20021021 <--  
JP 2005506363 T 20050303 JP 2003-537403 20021021  
CN 1604740 A 20050406 CN 2002-820725 20021021  
AT 313951 T 20060115 AT 2002-801920 20021021  
ES 2254788 T3 20060616 ES 2002-2801920 20021021  
RU 2292137 C2 20070127 RU 2004-115620 20021021  
EG 23301 A 20041130 EG 2002-1157 20021022 <--  
IN 2004DN00869 A 20070302 IN 2004-DN869 20040405  
ZA 2004002815 A 20050105 ZA 2004-2815 20040413  
US 2004266829 A1 20041230 US 2004-493591 20040423 <--  
PRIORITY APPLN. INFO.: FR 2001-13688 A 20011023  
WO 2002-EP13789 W 20021021  
OTHER SOURCE(S): MARPAT 138:299225  
GI



AB A synergistic fungicidal composition comprises a pyridylmethylbenzamide derivative  
I [R1 = H, (un)substituted alkyl or acyl; R2 = H or (un)substituted alkyl; R3,R4 = H, OH, CN, NO2, etc.; m,n = 0,1-4] and a dithiocarbamate, such as ferbam, mancozeb, maneb, metiram, nabam, nickel bis(dimethyldithiocarbamate), propineb or zineb.  
IT 511286-32-1 511286-33-2  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal composition)  
RN 511286-32-1 HCAPLUS  
CN Manganese, [[2-[(dithiocarboxy)amino]ethyl]carbamdithioato(2-)-κS,κS']-, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide and [[2-[(dithiocarboxy)amino]ethyl]carbamdithioato(2-)-κS,κS']zinc (9CI) (CA INDEX NAME)  
CM 1  
CRN 239110-15-7  
CMF C14 H8 Cl3 F3 N2 O



Updated Search


10582693

CM 2

CRN 12427-38-2

CMF C4 H6 Mn N2 S4

CCI CCS




CM 3

CRN 12122-67-7

CMF C4 H6 N2 S4 Zn

CCI CCS




RN 511286-33-2 HCAPLUS

CN Zinc, [[2-[(dithiocarboxy)amino]-1-methylethyl]carbamodithioato(2-)- $\kappa\text{S},\kappa\text{S}'$ ]-, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O




CM 2

CRN 12071-83-9

CMF C5 H8 N2 S4 Zn

CCI CCS


Updated Search



IT 239110-15-7D, mixts. with dithiocarbamates 239111-66-1D,  
mixts. with dithiocarbamates 455300-64-8D, mixts. with  
dithiocarbamates  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal compns.)


RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




RN 239111-66-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-nitro- (9CI) (CA INDEX NAME)



RN 455300-64-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitro- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

2

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Updated Search

L10 ANSWER 7 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2003:261800 HCAPLUS  
 DOCUMENT NUMBER: 138:271704  
 TITLE: Preparation of acid amide derivatives as pesticides  
 INVENTOR(S): Nakamura, Yuji; Morita, Masayuki; Yoneda, Tetsuo; Izakura, Kenji  
 PATENT ASSIGNEE(S): Ishihara Sangyo Kaisha, Ltd., Japan  
 SOURCE: PCT Int. Appl., 233 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003027059	A1	20030403	WO 2002-JP9560	20020918 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
JP 2003176258	A	20030624	JP 2002-270729	20020917 <--
CA 2460789	A1	20030403	CA 2002-2460789	20020918 <--
AU 2002332181	A1	20030407	AU 2002-332181	20020918 <--
EP 1428817	A1	20040616	EP 2002-767967	20020918 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
US 2004254237	A1	20041216	US 2004-489778	20040317 <--
PRIORITY APPLN. INFO.:			JP 2001-283969	A 20010918
			WO 2002-JP9560	W 20020918


OTHER SOURCE(S): MARPAT 138:271704

AB Acid amide derivs. represented by the formula A-CO-CR1R2-NR3-CO-B [wherein A = Ph, benzyl, naphthyl, heterocyclic group, or fused heterocyclic group each optionally substituted by X, indanyl (which may be substituted by halogen, alkyl, or alkoxy), or tetrahydronaphthyl (which may be substituted by halogen, alkyl, or alkoxy); B = alkyl, cycloalkyl, Ph optionally substituted by Y, a heterocyclic group optionally substituted by Y, or a fused heterocyclic group optionally substituted by Y; X = halo, alkyl, haloalkyl, alkenyl, haloalkenyl, alkynyl, haloalkynyl, alkoxy, haloalkoxy, alkoxyalkoxy, haloalkoxyalkoxy, alkoxyhaloalkoxy, etc.; Y = halo, alkyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfinyl, haloalkylsulfinyl, alkylsulfonyl, haloalkylsulfonyl, dialkylaminosulfonyl, NO2, cyano, etc.; R1, R2 = alkyl, cyano, or CO2R14, provided that R1 and R2 in combination may form a 3- to 6-membered saturated carbon ring; R3 = H, alkyl, alkoxyalkyl, alkylthioalkyl, COR15, S(O)mR16, or S(O)nNR17R18; wherein R14 = H, alkyl; R15 = H, alkyl, alkoxy; R16, R17, R18 = alkyl, haloalkyl, optionally substituted Ph] or salts thereof are prepared These compds. including N-phenacylbenzamides, N-phenacylnaphthalenecarboxamides, N-phenacylthiophenecarboxamides, N-phenacylpyrazinecarboxamides, N-phenacylquinolinecarboxamides, N-phenacylindolecarboxamides, N-phenacylfurancarboxamides,


N-phenacylbenzofurancarboxamides, N-phenacylbenzodioxanecarboxamides, N-(naphthylcarbonylmethyl)benzamide, N-(thienylcarbonylmethyl)benzamides, N-(thienylcarbonylmethyl)pyridinecarboxamides, N-(pyridylcarbonylmethyl)benzamides, N-(benzodioxanylcarbonylmethyl)benzamide s, and N-(furylcarbonylmethyl)benzamides are useful as active ingredients for pest control agents such as insecticides, acaricides, nematocides, and animal parasiticides. Thus, 0.11 g 2-fluorobenzoyl chloride was added dropwise to a mixture of 0.20 g 6-(2,2,3,3-tetrafluoro-5-methyl-1,4-benzodioxan-6-yl) 2-amino-2-Pr ketone, 0.10 g Et<sub>3</sub>N, and 7 mL THF and stirred at room temperature for 2 h to give 2-fluoro-N-[2-[(2,2,3,3-tetrafluoro-5-methyl-1,4-benzodioxan-6-yl)carbonyl]-2-propyl]benzamide (II). II at 1,600 ppm (soil application) completely controlled nematode in tomato seedlings.

IT 503471-59-8P 503472-26-2P  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of acid amide derivs. as pesticides such as insecticides, acaricides, nematocides, and animal parasiticides)

RN 503471-59-8 HCAPLUS  
 CN Benzamide, N-[1,1-dimethyl-2-oxo-2-[4-(trifluoromethyl)-2-pyridinyl]ethyl]-, 2,6-difluoro- (9CI) (CA INDEX NAME)



RN 503472-26-2 HCAPLUS  
 CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1,1-dimethyl-2-oxoethyl]-2,6-difluoro- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 8 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:695689 HCAPLUS

DOCUMENT NUMBER: 137:212300

TITLE: Fungicidal compositions based on

pyridylmethylbenzamide derivatives and propamocarb

INVENTOR(S): Emery, Jane Catherine; Russell, Philip Eric; Bardsley, Richard Andrew; Dancer, Jane Elizabeth; Mercer, Richard; Holah, David Stanley


Updated Search

10582693

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.  
 SOURCE: PCT Int. Appl., 33 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002069714	A1	20020912	WO 2002-FR621	20020219 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
FR 2821719	A1	20020913	FR 2001-3141	20010308 <--
FR 2821719	B1	20030613		
CA 2441826	A1	20020912	CA 2002-2441826	20020219 <--
EP 1370141	A1	20031217	EP 2002-708410	20020219 <--
EP 1370141	B1	20050105		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
BR 2002008000	A	20040225	BR 2002-8000	20020219 <--
HU 200303420	A2	20040301	HU 2003-3420	20020219 <--
CN 1494377	A	20040505	CN 2002-805989	20020219 <--
JP 2004526718	T	20040902	JP 2002-568908	20020219 <--
AT 286350	T	20050115	AT 2002-708410	20020219
PT 1370141	T	20050429	PT 2002-708410	20020219
ES 2231671	T3	20050516	ES 2002-2708410	20020219
NZ 528287	A	20050729	NZ 2002-528287	20020219
US 2005176682	A1	20050811	US 2003-471125	20020219
EG 23207	A	20040731	EG 2002-238	20020305 <--
ZA 2003006491	A	20041012	ZA 2003-6491	20030820 <--
IN 2003DN01394	A	20050527	IN 2003-DN1394	20030901
IN 2003DN01395	A	20050527	IN 2003-DN1395	20030901
BG 108148	A	20040930	BG 2003-108148	20030902 <--
PRIORITY APPLN. INFO.:			FR 2001-3141	A 20010308
			WO 2002-FR621	W 20020219

OTHER SOURCE(S): MARPAT 137:212300  
 GI



AB A synergistic fungicide compns. comprises (a) a pyridylmethylbenzamide

Updated Search

derivative I (Markush included), and (b) propamocarb or derivative thereof.

The

composition is used as preventive or curative agent for fighting against phytopathogenic fungi of crops by applying on the aerial parts of plants an efficient and non-phytotoxic amount of said fungicide compns.

IT 455300-62-6 455300-65-9 455300-67-1

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
(fungicidal compns. containing)


RN 455300-62-6 HCAPLUS

CN Carbamic acid, [3-(dimethylamino)propyl]-, propyl ester, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 24579-73-5

CMF C9 H20 N2 O2




RN 455300-65-9 HCAPLUS

CN Carbamic acid, [3-(dimethylamino)propyl]-, propyl ester, mixt. with N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitrobenzamide (9CI) (CA INDEX NAME)

CM 1

CRN 455300-64-8

CMF C14 H8 Cl F4 N3 O3




Updated Search



10582693

CM 2


CRN 24579-73-5  
CMF C9 H20 N2 O2



RN 455300-67-1 HCAPLUS  
CN Carbamic acid, [3-(dimethylamino)propyl]-, propyl ester, mixt. with  
N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-  
nitrobenzamide (9CI) (CA INDEX NAME)


CM 1

CRN 239111-66-1  
CMF C15 H11 Cl F3 N3 O3



CM 2

CRN 24579-73-5  
CMF C9 H20 N2 O2



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 9 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:695688 HCAPLUS

DOCUMENT NUMBER: 137:212299

TITLE: Synergistic fungicidal compositions containing a  
pyridylmethylbenzamide derivative and phosphonic acid

INVENTOR(S): Holah, David Stanley; Dancer, Jane Elizabeth; Latorse,  
Marie-Pascale; Mercer, Richard

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: PCT Int. Appl., 34 pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

Updated Search

10582693

LANGUAGE: French  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002069713	A1	20020912	WO 2002-FR514	20020212 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
FR 2821720	A1	20020913	FR 2001-3139	20010308 <--
FR 2821720	B1	20030613		
CA 2439550	A1	20020912	CA 2002-2439550	20020212 <--
AU 2002237375	A1	20020919	AU 2002-237375	20020212 <--
AU 2002237375	B2	20070405		
EP 1372393	A1	20040102	EP 2002-703689	20020212 <--
EP 1372393	B1	20041110		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
HU 200303425	A2	20040301	HU 2003-3425	20020212 <--
BR 2002007999	A	20040302	BR 2002-7999	20020212 <--
CN 1494376	A	20040505	CN 2002-805988	20020212 <--
JP 2004526717	T	20040902	JP 2002-568907	20020212 <--
AT 281763	T	20041115	AT 2002-703689	20020212 <--
PT 1372393	T	20050228	PT 2002-703689	20020212
ES 2227429	T3	20050401	ES 2002-2703689	20020212
NZ 528286	A	20060526	NZ 2002-528286	20020212
EG 23126	A	20040428	EG 2002-237	20020305 <--
BG 108146	A	20040930	BG 2003-108146	20030902 <--
ZA 2003006923	A	20040902	ZA 2003-6923	20030904 <--
MX 2003PA08026	A	20040524	MX 2003-PA8026	20030905 <--
US 2004121986	A1	20040624	US 2004-471123	20040210 <--
US 7173049	B2	20070206		
PRIORITY APPLN. INFO.:			FR 2001-3139	A 20010308
			WO 2002-FR514	W 20020212
OTHER SOURCE(S):			MARPAT 137:212299	
GI				



I

AB A synergistic fungicide compns. comprises (a) a pyridylmethylbenzamide derivative I (Markush included), and (b) phosphorous acid, or derivative or salts

Updated Search


thereof. The composition is used as preventive or curative agent for fighting against phytopathogenic fungi of crops by applying on the aerial parts of plants an efficient and non-phytotoxic amount of said fungicide compns.

IT 239110-15-7D, mixts. with phosphonic acid or its salts  
239111-66-1D, mixts. with phosphonic acid or its salts  
455300-64-8D, mixts. with phosphonic acid or its salts  
455304-84-4 455304-86-6

RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal compns. containing)


RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




RN 239111-66-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-nitro- (9CI) (CA INDEX NAME)



RN 455300-64-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitro- (9CI) (CA INDEX NAME)



RN 455304-84-4 HCAPLUS


CN Phosphonic acid, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O


10582693



CM 2

CRN 13598-36-2

CMF H3 O3 P



ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE


RN 455304-86-6 HCAPLUS

CN Phosphonic acid, monoethyl ester, aluminum salt, mixt. with  
2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide  
(9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 39148-24-8

CMF C2 H7 O3 P . 1/3 Al



● 1/3 Al

Updated Search

10582693

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 10 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:695687 HCAPLUS

DOCUMENT NUMBER: 137:212298

TITLE: Fungicidal compositions based on pyridylmethylbenzamide derivatives and complex III inhibiting compounds

INVENTOR(S): Holah, David Stanley; Dancer, Jane Elisabeth; Latorse, Marie-Pascale; Mercer, Richard

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: PCT Int. Appl., 44 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002069712	A1	20020912	WO 2002-EP4613	20020307 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
FR 2821718	A1	20020913	FR 2001-3140	20010308 <--
FR 2821718	B1	20030613		
EG 23127	A	20040428	EG 2002-239	20020305 <--
AU 2002304701	A1	20020919	AU 2002-304701	20020307 <--
EP 1365653	A1	20031203	EP 2002-732676	20020307 <--
EP 1365653	B1	20041201		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
JP 2004523564	T	20040805	JP 2002-568906	20020307 <--
AT 283630	T	20041215	AT 2002-732676	20020307 <--
PT 1365653	T	20050331	PT 2002-732676	20020307
ES 2231700	T3	20050516	ES 2002-2732676	20020307
US 2004106578	A1	20040603	US 2003-471124	20030908 <--
PRIORITY APPLN. INFO.:			FR 2001-3140	A 20010308
			WO 2002-EP4613	W 20020307

OTHER SOURCE(S): MARPAT 137:212298


GI




I

Updated Search


- AB A fungicide compns. comprises (a) a pyridylmethylbenzamide derivative I (Markush included), and (b) at least one compound capable of inhibiting the transport of electrons of the respiratory chain of mitochondrial ubiquinol-ferricytochrome-c oxidoreductase or complex III in phytopathogenic fungal organisms. The composition is used as preventive or curative agent for fighting against phytopathogenic fungi of crops by applying on the aerial parts of plants an efficient and non-phytotoxic amount of said fungicide compns.
- IT 239110-15-7D, mixts. with ubiquinol-ferricytochrome-c reductase inhibitors 239111-66-1D, mixts. with ubiquinol-ferricytochrome-c reductase inhibitors 455300-64-8D, mixts. with ubiquinol-ferricytochrome-c reductase inhibitors 455308-82-4  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
 (fungicidal compns. containing)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



- RN 239111-66-1 HCAPLUS
- CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-nitro- (9CI) (CA INDEX NAME)



- RN 455300-64-8 HCAPLUS
- CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-nitro- (9CI) (CA INDEX NAME)



- RN 455308-82-4 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-


10582693

pyridinyl)methyl]-, mixt. with (5S)-3,5-dihydro-5-methyl-2-(methylthio)-5-phenyl-3-(phenylamino)-4H-imidazol-4-one (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O




CM 2

CRN 161326-34-7

CMF C17 H17 N3 O S

Absolute stereochemistry. Rotation (+)..



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 11 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:157737 HCAPLUS

DOCUMENT NUMBER: 136:200109

TITLE: Process for preparation of 2-aminomethylpyridines by catalytic hydrogenation of 2-cyanopyridines.

INVENTOR(S): Dann, Norman; Riordan, Peter Dominic; Amin, Mehul Rasikchandra; Mellor, Michael

PATENT ASSIGNEE(S): Aventis CropScience SA, Fr.

SOURCE: PCT Int. Appl., 18 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002016322	A2	20020228	WO 2001-EP10984	20010821 <--
WO 2002016322	A3	20020606		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,

Updated Search

GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
 LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL,  
 PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG,  
 US, UZ, VN, YU, ZA, ZW  
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,  
 DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,  
 BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG  
 EP 1199305 A1 20020424 EP 2001-420128 20010607 <--  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR  
 CA 2415842 A1 20020228 CA 2001-2415842 20010821 <--  
 AU 200213948 A 20020304 AU 2002-13948 20010821 <--  
 EP 1311483 A2 20030521 EP 2001-982337 20010821 <--  
 EP 1311483 B1 20061220  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR  
 BR 2001013259 A 20030715 BR 2001-13259 20010821 <--  
 JP 2004506716 T 20040304 JP 2002-521198 20010821 <--  
 RU 2266900 C2 20051227 RU 2003-107931 20010821  
 CN 1721406 A 20060118 CN 2005-10088220 20010821  
 AT 348810 T 20070115 AT 2001-982337 20010821  
 EP 1746089 A1 20070124 EP 2006-120806 20010821  
 R: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI, LU, MC,  
 NL, PT, SE, TR  
 IN 2003MN00064 A 20050204 IN 2003-MN64 20030113  
 US 2004049048 A1 20040311 US 2003-362728 20030611 <--  
 US 6921828 B2 20050726  
 US 2005250947 A1 20051110 US 2005-177118 20050708  
 PRIORITY APPLN. INFO.: GB 2000-21066 A 20000825  
 GB 2000-25616 A 20001019  
 EP 2001-420128 A 20010607  
 CN 2001-814622 A3 20010821  
 EP 2001-982337 A3 20010821  
 WO 2001-EP10984 W 20010821  
 US 2003-362728 A1 20030611  
 OTHER SOURCE(S): CASREACT 136:200109; MARPAT 136:200109  
 GI



AB Title compds. (I; X = halo; Y = halo, haloalkyl, alkoxycarbonyl, alkylsulfonyl; n = 0-3) were prepared by catalytic hydrogenation of the corresponding 2-cyano derivs. Thus, 3-chloro-2-cyano-5-trifluoromethylpyridine (preparation given) was hydrogenated in MeOH over Pd/C containing HCl at 1 atmospheric to give 95-97% 2-aminomethyl-3-chloro-5-trifluoromethylpyridine hydrochloride.


IT 239110-08-8P 239110-15-7P 239110-23-7P  
 239110-27-1P 239110-28-2P 239110-62-4P  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (process for preparation of 2-aminomethylpyridines by catalytic hydrogenation of 2-cyanopyridines)



10582693


RN 239110-08-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-difluoro- (9CI) (CA INDEX NAME)




RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




RN 239110-23-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3-difluoro- (9CI) (CA INDEX NAME)



RN 239110-27-1 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 239110-28-2 HCAPLUS


CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4,6-trifluoro- (9CI) (CA INDEX NAME)

Updated Search

10582693



RN 239110-62-4 HCAPLUS  
 CN Benzamide, 2-bromo-6-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



L10 ANSWER 12 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2001:136944 HCAPLUS  
 DOCUMENT NUMBER: 134:174247  
 TITLE: Preparation of fungicidal nitrogen compounds.  
 INVENTOR(S): Cooke, Tracey; Ekwuru, Tennyson; Hardy, David; Millward, Peter; Moloney, Brian; Pettinger, Andrew; Thomas, Peter Stanley; Turner, Richar Michael  
 PATENT ASSIGNEE(S): Aventis CropScience GmbH, Germany  
 SOURCE: PCT Int. Appl., 42 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001011966	A1	20010222	WO 2000-EP8269	20000811 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
BR 2000013367	A	20020507	BR 2000-13367	20000811 <--
EP 1204322	A1	20020515	EP 2000-956481	20000811 <--
EP 1204322	B1	20050209		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003506466	T	20030218	JP 2001-516329	20000811 <--
AT 288681	T	20050215	AT 2000-956481	20000811
PT 1204322	T	20050531	PT 2000-956481	20000811

Updated Search

10582693

ES 2233429	T3	20050616	ES 2000-956481	20000811
IN 2002MN00093	A	20050318	IN 2002-MN93	20020125
MX 2002PA01459	A	20020702	MX 2002-PA1459	20020211 <--
US 6630495	B1	20031007	US 2002-49981	20020722 <--
PRIORITY APPLN. INFO.:			GB 1999-19588	A 19990818
			WO 2000-EP8269	W 20000811

OTHER SOURCE(S): MARPAT 134:174247


AB The fungicidal nitrogen compds. A1CR1R2NR3LA2 and A1CR1R2N:CYA2 [A1 = (un)unsubstituted 2-pyridyl or its N-oxide; A2 = (un)substituted heterocyclyl or carbocyclyl; R1, R2 = alkyl, alkenyl, cyano, nitro, halo, etc.; L = CO, CS, SO2, etc., Y = halo, alkoxy, alkylthio, etc.] are prepared

IT 326476-33-9P 326476-34-0P 326476-35-1P  
326476-36-2P 326476-37-3P 326476-38-4P  
326476-39-5P 326476-41-9P 326476-55-5P  
326476-68-0P

RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
(preparation as fungicide)


RN 326476-33-9 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-3-butenyl]- (9CI) (CA INDEX NAME)




RN 326476-34-0 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]cyanomethyl]-6-fluoro- (9CI) (CA INDEX NAME)



RN 326476-35-1 HCAPLUS

CN Benzamide, 2-bromo-6-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]cyanomethyl]- (9CI) (CA INDEX NAME)




Updated Search

10582693


RN 326476-36-2 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1-cyanoethyl]- (9CI) (CA INDEX NAME)




RN 326476-37-3 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1-cyanoethyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 326476-38-4 HCAPLUS

CN Benzamide, 2-bromo-6-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1-cyanoethyl]- (9CI) (CA INDEX NAME)



RN 326476-39-5 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]cyanomethyl]- (9CI) (CA INDEX NAME)




RN 326476-41-9 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-1-cyanoethyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 326476-55-5 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-N-[(cyanoimino)methyl]-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 326476-68-0 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-N-[(cyanoimino)methyl]-2-methyl- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 13 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:136943 HCAPLUS

DOCUMENT NUMBER: 134:174246

TITLE: Preparation of pyridine derivative fungicides

INVENTOR(S): Cooke, Tracey; Hardy, David; Moloney, Brian; Thomas, Peter Stanley; Steele, Chris Richard; Briggs, Geoffrey Gower

PATENT ASSIGNEE(S): Aventis CropScience GmbH, Germany

SOURCE: PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001011965	A1	20010222	WO 2000-EP8143	20000809 <--
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR,				

Updated Search

CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID,  
 IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV,  
 MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE,  
 SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW  
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,  
 DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,  
 CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

BR 2000013371 A 20020507 BR 2000-13371 20000809 <--  
 EP 1204323 A1 20020515 EP 2000-960499 20000809 <--  
 EP 1204323 B1 20040714

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL

JP 2003506465 T 20030218 JP 2001-516328 20000809 <--  
 AT 270817 T 20040715 AT 2000-960499 20000809 <--  
 PT 1204323 T 20041130 PT 2000-960499 20000809 <--  
 ES 2220533 T3 20041216 ES 2000-960499 20000809 <--  
 IN 2002MN00092 A 20050318 IN 2002-MN92 20020125  
 MX 2002PA01453 A 20030128 MX 2002-PA1453 20020211 <--  
 US 6821992 B1 20041123 US 2002-49976 20020709 <--

PRIORITY APPLN. INFO.:

GB 1999-19499 A 19990818  
 GB 1999-19500 A 19990818  
 WO 2000-EP8143 W 20000809

OTHER SOURCE(S): MARPAT 134:174246


AB The pyridine derivs. AlCR1R2LA2 [A1 = (un)substituted 2-pyridyl or its  
 N-oxide; Y = LA2 or L1A3; A2, A3 = (un)substituted carbocyclyl or  
 heterocyclyl; L = NR5C(:X)NR6, NR5C(:X)CHR3, CHR3NR5CHR4, etc.; L1 =  
 NR9C(:X)X1CHR7, NR9C(:X)CHR7CHR8, etc.; R1-9 = CN, NO2, halo, etc.] are  
 prepared as agrochem. fungicides.

IT 326815-96-7P 326816-04-0P 326816-07-3P  
 326816-13-1P 326816-15-3P 326816-19-7P  
 326816-20-0P 326816-34-6P 326816-35-7P

RL: AGR (Agricultural use); SPN (Synthetic preparation); BIOL (Biological  
 study); PREP (Preparation); USES (Uses)  
 (preparation as fungicide)

RN 326815-96-7 HCAPLUS


CN 2-Pyridinepropanamide, 3-chloro- $\alpha$ -[(2,6-dichlorobenzoyl)amino]-N-  
 ethyl-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 326816-04-0 HCAPLUS


CN 2-Pyridinepropanamide,  $\alpha$ -[(2-bromobenzoyl)amino]-3-chloro-N-ethyl-5-  
 (trifluoromethyl)- (9CI) (CA INDEX NAME)

10582693




RN 326816-07-3 HCAPLUS

CN 2-Pyridinepropanamide, 3-chloro-α-[(2,6-dichlorobenzoyl)amino]-N-methyl-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 326816-13-1 HCAPLUS

CN 2-Pyridinepropanoic acid, 3-chloro-α-[(2,6-dichlorobenzoyl)amino]-5-(trifluoromethyl)-, methyl ester (9CI) (CA INDEX NAME)



RN 326816-15-3 HCAPLUS

CN 2-Pyridinepropanoic acid, α-[(2-bromobenzoyl)amino]-3-chloro-5-(trifluoromethyl)-, methyl ester (9CI) (CA INDEX NAME)




RN 326816-19-7 HCAPLUS

CN 2-Pyridinepropanoic acid, 3-chloro-α-[(2,6-dichlorobenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 326816-20-0 HCAPLUS

CN 2-Pyridinepropanoic acid,  $\alpha$ -[(2-bromobenzoyl)amino]-3-chloro-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)




RN 326816-34-6 HCAPLUS

CN 2-Pyridinepropanamide,  $\alpha$ -[(2-bromobenzoyl)amino]-3-chloro-N-methyl-5-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 326816-35-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT:

2

THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 14 OF 14 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:549257 HCAPLUS

DOCUMENT NUMBER: 131:170272

TITLE: 2-Pyridylmethylaniline derivatives useful as fungicides

Updated Search




10582693

INVENTOR(S): Moloney, Brian Anthony; Hardy, David; Saville-Stor  
 Elizabeth Anne  
 PATENT ASSIGNEE(S): Agrevo UK Limited, UK  
 SOURCE: PCT Int. Appl., 39 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9942447	A1	19990826	WO 1999-GB304	19990216 <--
W: AU, BR, CA, CN, CZ, HU, ID, IL, IN, JP, KR, KZ, MX, NO, NZ, PL, RO, RU, SI, SK, TR, UA, US, YU, ZW				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
TW 575562	B	20040211	TW 1999-88101970	19990209 <--
CA 2319005	A1	19990826	CA 1999-2319005	19990216 <--
AU 9925271	A	19990906	AU 1999-25271	19990216 <--
AU 751032	B2	20020808		
TR 200002395	T2	20001121	TR 2000-200002395	19990216 <--
EP 1056723	A1	20001206	EP 1999-904953	19990216 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
BR 9908007	A	20010130	BR 1999-8007	19990216 <--
SI 20356	A	20010430	SI 1999-20016	19990216 <--
HU 200100817	A2	20010730	HU 2001-817	19990216 <--
JP 2002503723	T	20020205	JP 2000-532399	19990216 <--
TR 200101071	T2	20020621	TR 2001-200101071	19990216 <--
NZ 505954	A	20021220	NZ 1999-505954	19990216 <--
CN 1132816	B	20031231	CN 1999-803058	19990216 <--
RU 2224746	C2	20040227	RU 2000-124062	19990216 <--
RO 120970	B1	20061030	RO 2000-790	19990216
ZA 9901292	A	19990913	ZA 1999-1292	19990218 <--
MX 2000PA07713	A	20020311	MX 2000-PA7713	20000807 <--
NO 2000004159	A	20001017	NO 2000-4159	20000818 <--
NO 317105	B1	20040809		
US 6503933	B1	20030107	US 2000-622651	20000921 <--
US 2003171410	A1	20030911	US 2002-303464	20021125 <--
US 6828441	B2	20041207		
PRIORITY APPLN. INFO.:			GB 1998-3413	A 19980219
			GB 1998-13998	A 19980630
			GB 1998-17353	A 19980811
			GB 1998-3414	A 19980219
			WO 1999-GB304	W 19990216
			US 2000-622651	A3 20000921

OTHER SOURCE(S): MARPAT 131:170272  
 GI



Updated Search

AB Title compds. such as I (R = 2-CF<sub>3</sub>, 3-Br, 4-Cl) were prepared as agricultural fungicides. Thus, 0.35 g [3-chloro-5-(trifluoromethyl)-2-pyridyl]methylamine and 0.39 g 2-(trifluoromethyl)benzoyl chloride reacted in dry ether in the presence of 0.27 mL Et<sub>3</sub>N to give I (R = 2-CF<sub>3</sub>). The products were tested at 500 ppm (w/v) against late blight, vine downy mildew, wheat powdery mildew, rice blast, glume blotch, and gray mold.

IT 239109-95-6P 239110-00-0P 239110-01-1P  
239110-02-2P 239110-03-3P 239110-05-5P  
239110-07-7P 239110-08-8P 239110-09-9P  
239110-11-3P 239110-12-4P 239110-13-5P  
239110-14-6P 239110-15-7P 239110-16-8P  
239110-17-9P 239110-21-5P 239110-22-6P  
239110-23-7P 239110-24-8P 239110-26-0P  
239110-27-1P 239110-28-2P 239110-29-3P  
239110-30-6P 239110-31-7P 239110-33-9P  
239110-35-1P 239110-36-2P 239110-37-3P  
239110-38-4P 239110-39-5P 239110-40-8P  
239110-41-9P 239110-42-0P 239110-43-1P  
239110-44-2P 239110-45-3P 239110-46-4P  
239110-47-5P 239110-48-6P 239110-49-7P  
239110-50-0P 239110-51-1P 239110-53-3P  
239110-54-4P 239110-59-9P 239110-60-2P  
239110-61-3P 239110-62-4P 239110-63-5P  
239110-64-6P 239110-65-7P 239110-66-8P  
239110-67-9P 239110-69-1P 239110-70-4P  
239110-71-5P 239110-72-6P 239110-73-7P  
239110-74-8P 239110-75-9P 239110-76-0P  
239110-77-1P 239110-78-2P 239110-79-3P  
239110-80-6P 239110-81-7P 239110-82-8P  
239110-83-9P 239110-86-2P 239110-87-3P  
239110-88-4P 239110-89-5P 239110-90-8P  
239110-91-9P 239110-92-0P 239110-93-1P  
239110-94-2P 239110-95-3P 239110-96-4P  
239110-97-5P 239110-98-6P 239110-99-7P  
239111-00-3P 239111-01-4P 239111-03-6P  
239111-04-7P 239111-05-8P 239111-06-9P  
239111-22-9P 239111-23-0P 239111-24-1P  
239111-26-3P 239111-27-4P 239111-28-5P  
239111-29-6P 239111-30-9P 239111-31-0P  
239111-32-1P 239111-33-2P 239111-34-3P  
239111-36-5P 239111-37-6P 239111-38-7P  
239111-40-1P 239111-41-2P 239111-42-3P  
239111-43-4P 239111-45-6P 239111-46-7P  
239111-47-8P 239111-48-9P 239111-49-0P  
239111-52-5P 239111-53-6P 239111-54-7P  
239111-55-8P 239111-56-9P 239111-57-0P  
239111-58-1P 239111-59-2P 239111-60-5P  
239111-61-6P 239111-62-7P 239111-63-8P  
239111-64-9P 239111-65-0P 239111-66-1P  
239111-67-2P 239111-68-3P 239111-69-4P  
239111-70-7P 239111-71-8P 239111-75-2P  
239111-76-3P 239111-77-4P 239111-78-5P  
239111-79-6P 239111-80-9P 239111-83-2P  
239111-84-3P 239111-87-6P 239111-88-7P  
239112-12-0P 239112-13-1P 239112-14-2P  
239112-17-5P 239112-50-6P 239112-53-9P

10582693

239112-57-3P 239112-58-4P 239112-60-8P


239112-61-9P 239112-65-3P 239112-68-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

(fungicidal 2-pyridylmethylamine derivs.)


RN 239109-95-6 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239110-00-0 HCAPLUS

CN Benzamide, 2,5-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239110-01-1 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239110-02-2 HCAPLUS

CN Benzamide, 2,3-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-03-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4-dimethoxy- (9CI) (CA INDEX NAME)




RN 239110-05-5 HCAPLUS

CN Benzamide, 2-(acetyloxy)-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239110-07-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-nitro- (9CI) (CA INDEX NAME)




RN 239110-08-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-difluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-09-9 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4-difluoro- (9CI) (CA INDEX NAME)




RN 239110-11-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3-dimethyl- (9CI) (CA INDEX NAME)



RN 239110-12-4 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro- (9CI) (CA INDEX NAME)




RN 239110-13-5 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-14-6 HCAPLUS

CN Benzamide, 2-bromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)




RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-  
(CA INDEX NAME)



RN 239110-16-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methoxy-  
(9CI) (CA INDEX NAME)




RN 239110-17-9 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-21-5 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)




RN 239110-22-6 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-dimethyl- (9CI) (CA INDEX NAME)



RN 239110-23-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3-difluoro- (9CI) (CA INDEX NAME)




RN 239110-24-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4,6-trimethyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-26-0 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-4-fluoro- (9CI) (CA INDEX NAME)




RN 239110-27-1 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-6-fluoro- (9CI) (CA INDEX NAME)



RN 239110-28-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4,6-trifluoro- (9CI) (CA INDEX NAME)




RN 239110-29-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3,6-trifluoro- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 239110-30-6 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-dimethoxy- (9CI) (CA INDEX NAME)




RN 239110-31-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-(trifluoromethoxy)- (9CI) (CA INDEX NAME)



RN 239110-33-9 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-4-nitro- (9CI) (CA INDEX NAME)




RN 239110-35-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-36-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239110-37-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-fluoro-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 239110-38-4 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-4-fluoro-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239110-39-5 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3,4,5,6-pentafluoro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-40-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-iodo-  
(9CI) (CA INDEX NAME)




RN 239110-41-9 HCAPLUS

CN Benzamide, 2-bromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-  
methoxy- (9CI) (CA INDEX NAME)



RN 239110-42-0 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-  
bis(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239110-43-1 HCAPLUS

CN Benzamide, 2,6-dichloro-N-methyl-N-[[5-(trifluoromethyl)-2-  
pyridinyl]methyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-44-2 HCAPLUS

CN Benzamide, 2,6-dichloro-N-ethyl-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239110-45-3 HCAPLUS

CN Benzamide, 2-chloro-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)



RN 239110-46-4 HCAPLUS

CN Benzamide, 2-fluoro-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)




RN 239110-47-5 HCAPLUS

CN Benzamide, 2-methoxy-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)


Updated Search

10582693




RN 239110-48-6 HCAPLUS

CN Benzamide, 2-(trifluoromethyl)-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)




RN 239110-49-7 HCAPLUS

CN Benzamide, 2-nitro-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA  
INDEX NAME)



RN 239110-50-0 HCAPLUS

CN Benzamide, 2,6-difluoro-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)




RN 239110-51-1 HCAPLUS

CN Benzamide, 2,3-dimethyl-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)


Updated Search

10582693




RN 239110-53-3 HCAPLUS

CN Benzamide, 2-bromo-N-[[5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239110-54-4 HCAPLUS

CN Benzamide, 2,4,6-trichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239110-59-9 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-N-methyl- (9CI) (CA INDEX NAME)




RN 239110-60-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-4-methyl-2-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-61-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-phenoxy- (9CI) (CA INDEX NAME)




RN 239110-62-4 HCAPLUS

CN Benzamide, 2-bromo-6-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239110-63-5 HCAPLUS

CN Benzamide, 3-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-nitro- (9CI) (CA INDEX NAME)




RN 239110-64-6 HCAPLUS

CN Benzamide, 5-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-65-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-6-iodo- (9CI) (CA INDEX NAME)




RN 239110-66-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-(methylthio)- (9CI) (CA INDEX NAME)



RN 239110-67-9 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3,5,6-tetrafluoro- (9CI) (CA INDEX NAME)




RN 239110-69-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-fluoro-3-methyl- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 239110-70-4 HCAPLUS

CN Benzamide, 4-bromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl- (9CI) (CA INDEX NAME)




RN 239110-71-5 HCAPLUS

CN Benzamide, 5-bromo-2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239110-72-6 HCAPLUS

CN Benzamide, 5-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methoxy- (9CI) (CA INDEX NAME)




RN 239110-73-7 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-74-8 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-(methylthio)- (9CI) (CA INDEX NAME)




RN 239110-75-9 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-ethoxy- (9CI) (CA INDEX NAME)



RN 239110-76-0 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-(phenylmethoxy)- (9CI) (CA INDEX NAME)




RN 239110-77-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methoxy-4-(methylthio)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-78-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-5-nitro- (9CI) (CA INDEX NAME)



RN 239110-79-3 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]- (9CI) (CA INDEX NAME)




\*

103 check for use

RN 239110-80-6 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-nitro- (9CI) (CA INDEX NAME)




103 extra

RN 239110-81-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)

Updated Search


10582693



103

RN 239110-82-8 HCAPLUS


CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-nitro- (9CI) (CA INDEX NAME)



103

RN 239110-83-9 HCAPLUS


CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-6-fluoro- (9CI) (CA INDEX NAME)



103

RN 239110-86-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,5-dimethoxy- (9CI) (CA INDEX NAME)




RN 239110-87-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3-dimethoxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-88-4 HCAPLUS

CN Benzamide, 4-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methoxy- (9CI) (CA INDEX NAME)




RN 239110-89-5 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4,5-trimethoxy- (9CI) (CA INDEX NAME)



RN 239110-90-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4-bis(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239110-91-9 HCAPLUS

CN Benzamide, 4-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-92-0 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,3,4-trimethoxy- (9CI) (CA INDEX NAME)




RN 239110-93-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,5-bis(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 239110-94-2 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-3-methoxy-2-nitro- (9CI) (CA INDEX NAME)




RN 239110-95-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,4-dinitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239110-96-4 HCAPLUS

CN Benzamide, 2,5-dibromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239110-97-5 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-methoxy-2-nitro- (9CI) (CA INDEX NAME)



RN 239110-98-6 HCAPLUS

CN Benzamide, 2-bromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-3-nitro- (9CI) (CA INDEX NAME)




RN 239110-99-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-nitro-4-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-00-3 HCAPLUS

CN Benzamide, 2-bromo-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-5-nitro- (9CI) (CA INDEX NAME)




RN 239111-01-4 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-propoxy- (9CI) (CA INDEX NAME)



RN 239111-03-6 HCAPLUS

CN Benzamide, 2-bromo-5-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239111-04-7 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-[(2-cyanophenyl)thio]- (9CI) (CA INDEX NAME)

Updated Search




10582693




RN 239111-05-8 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-cyano- (9CI) (CA INDEX NAME)




RN 239111-06-9 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-4,5-dimethoxy-2-nitro- (9CI) (CA INDEX NAME)



RN 239111-22-9 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)




RN 239111-23-0 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,3-dimethyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-24-1 HCAPLUS

CN Benzamide, 2-bromo-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-  
(9CI) (CA INDEX NAME)




RN 239111-26-3 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 239111-27-4 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4,6-  
trifluoro- (9CI) (CA INDEX NAME)




RN 239111-28-5 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-iodo-  
(9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-29-6 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-  
(9CI) (CA INDEX NAME)




RN 239111-30-9 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,6-  
difluoro- (9CI) (CA INDEX NAME)



RN 239111-31-0 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2,4-  
difluoro- (9CI) (CA INDEX NAME)




RN 239111-32-1 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-5-fluoro-  
2-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-33-2 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239111-34-3 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-methyl- (9CI) (CA INDEX NAME)



RN 239111-36-5 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]- (9CI) (CA INDEX NAME)




RN 239111-37-6 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2,3-dimethyl- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-38-7 HCAPLUS

CN Benzamide, 2-bromo-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]- (9CI) (CA INDEX NAME)




RN 239111-40-1 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)



RN 239111-41-2 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2,4,6-trifluoro- (9CI) (CA INDEX NAME)




RN 239111-42-3 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-iodo- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-43-4 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-fluoro- (9CI) (CA INDEX NAME)




RN 239111-45-6 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2,6-difluoro- (9CI) (CA INDEX NAME)



RN 239111-46-7 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2,4-difluoro- (9CI) (CA INDEX NAME)




RN 239111-47-8 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-fluoro-3-(trifluoromethyl)- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-48-9 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-5-fluoro-2-(trifluoromethyl)- (9CI) (CA INDEX NAME)




RN 239111-49-0 HCAPLUS

CN Benzamide, N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-2-methyl- (9CI) (CA INDEX NAME)



RN 239111-52-5 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-phenylethyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 239111-53-6 HCAPLUS

CN Benzamide, 2-nitro-N-[1-[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-54-7 HCAPLUS

CN Benzamide, 2-bromo-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239111-55-8 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239111-56-9 HCAPLUS

CN Benzamide, 2-(trifluoromethyl)-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239111-57-0 HCAPLUS

CN Benzamide, 2-iodo-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)



RN 239111-58-1 HCAPLUS


CN Benzamide, 2-chloro-6-fluoro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]-

Updated Search




10582693

(9CI) (CA INDEX NAME)




RN 239111-59-2 HCAPLUS

CN Benzamide, 2,6-difluoro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)




RN 239111-60-5 HCAPLUS

CN Benzamide, 2,6-dimethoxy-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)



RN 239111-61-6 HCAPLUS

CN Benzamide, 5-fluoro-2-(trifluoromethyl)-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239111-62-7 HCAPLUS

CN Benzamide, 2,4,6-trichloro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-63-8 HCAPLUS

CN Benzamide, 2,3,6-trifluoro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)




RN 239111-64-9 HCAPLUS

CN Benzamide, 2-bromo-6-chloro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]-  
(9CI) (CA INDEX NAME)



RN 239111-65-0 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI)  
(CA INDEX NAME)




RN 239111-66-1 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2-methyl-6-  
nitro- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-67-2 HCAPLUS

CN Benzamide, 3-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-dimethoxy- (9CI) (CA INDEX NAME)




RN 239111-68-3 HCAPLUS

CN Benzamide, N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-2,6-dimethoxy-3-nitro- (9CI) (CA INDEX NAME)



RN 239111-69-4 HCAPLUS

CN Benzamide, 2,3,5-trichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-6-hydroxy- (9CI) (CA INDEX NAME)




RN 239111-70-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-3-hydroxy- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-71-8 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-6-hydroxy- (9CI) (CA INDEX NAME)




RN 239111-75-2 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]- (9CI) (CA INDEX NAME)



RN 239111-76-3 HCAPLUS

CN Benzamide, 2-chloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-6-(methylthio)- (9CI) (CA INDEX NAME)




RN 239111-77-4 HCAPLUS

CN Benzamide, 2-(chloromethyl)-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-78-5 HCAPLUS

CN Benzamide, 2-[[[2-bromophenyl)methyl]thio]-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (9CI) (CA INDEX NAME)




RN 239111-79-6 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]propyl]- (9CI) (CA INDEX NAME)



RN 239111-80-9 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]propyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 239111-83-2 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]butyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239111-84-3 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]butyl]-6-fluoro- (9CI) (CA INDEX NAME)




RN 239111-87-6 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]butyl]- (9CI) (CA INDEX NAME)



RN 239111-88-7 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-methylpropyl]- (9CI) (CA INDEX NAME)




RN 239112-12-0 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-methylpropyl]- (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239112-13-1 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-cyanoethyl]- (9CI) (CA INDEX NAME)




RN 239112-14-2 HCAPLUS

CN Benzamide, 2-chloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-cyanoethyl]-6-fluoro- (9CI) (CA INDEX NAME)



RN 239112-17-5 HCAPLUS

CN Benzamide, 2,4-dichloro-N-[1-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-2-cyanoethyl]- (9CI) (CA INDEX NAME)




RN 239112-50-6 HCAPLUS

CN 2-Pyridineacetic acid, 3-chloro-α-[(2,4-dichlorobenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)


Updated Search

10582693




RN 239112-53-9 HCAPLUS

CN 2-Pyridineacetic acid, 3-chloro-α-[(2-methylbenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)




RN 239112-57-3 HCAPLUS

CN 2-Pyridineacetic acid, 3-chloro-5-(trifluoromethyl)-α-[[2-(trifluoromethyl)benzoyl]amino]-, ethyl ester (9CI) (CA INDEX NAME)



RN 239112-58-4 HCAPLUS

CN 2-Pyridineacetic acid, 3-chloro-α-[(2,6-dichlorobenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)




RN 239112-60-8 HCAPLUS

CN 2-Pyridineacetic acid, 3-chloro-α-[(2-fluorobenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)

Updated Search




10582693




~~\*~~

RN 239112-61-9 HCAPLUS  
CN 2-Pyridineacetic acid, 3-chloro- $\alpha$ -[(2-chlorobenzoyl)amino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)




~~\*~~

RN 239112-65-3 HCAPLUS  
CN 2-Pyridineacetic acid, 3-chloro- $\alpha$ -[(2-chlorobenzoyl)ethylamino]-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)



~~\*~~

RN 239112-68-6 HCAPLUS  
CN 2-Pyridineacetic acid,  $\alpha$ -[(2-bromobenzoyl)amino]-3-chloro-5-(trifluoromethyl)-, ethyl ester (9CI) (CA INDEX NAME)



~~\*~~

REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d his

Updated Search

10582693

(FILE 'HOME' ENTERED AT 18:31:48 ON 11 JUL 2007)

FILE 'REGISTRY' ENTERED AT 18:32:11 ON 11 JUL 2007

L1 STRUCTURE UPLOADED  
L2 29 S L1  
L3 625 S L1 FULL

FILE 'HCAPLUS' ENTERED AT 18:38:37 ON 11 JUL 2007

L4 76 S L3

FILE 'REGISTRY' ENTERED AT 18:40:33 ON 11 JUL 2007

L5 STRUCTURE UPLOADED  
L6 24 S L5  
L7 488 S L5 FULL

FILE 'HCAPLUS' ENTERED AT 18:43:37 ON 11 JUL 2007

L8 72 S L7  
L9 0 S L8 AND JONES, W?/AU  
L10 14 S L8 AND PD < JANUARY 2005

FILE 'CAOLD' ENTERED AT 18:45:15 ON 11 JUL 2007

L11 0 S L7

FILE 'HCAPLUS' ENTERED AT 18:45:23 ON 11 JUL 2007

L12 58 S L8 NOT L10

FILE 'CAOLD' ENTERED AT 18:48:26 ON 11 JUL 2007

L13 0 S L7

FILE 'REGISTRY' ENTERED AT 19:05:51 ON 11 JUL 2007

FILE 'REGISTRY' ENTERED AT 19:06:03 ON 11 JUL 2007

FILE 'HCAPLUS' ENTERED AT 19:06:11 ON 11 JUL 2007

FILE 'REGISTRY' ENTERED AT 19:06:24 ON 11 JUL 2007

=> file hcaplus

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.90	841.88

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-67.08

CA SUBSCRIBER PRICE

FILE 'HCAPLUS' ENTERED AT 19:07:18 ON 11 JUL 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the

Updated Search

10582693

the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 11 Jul 2007 VOL 147 ISS 3  
FILE LAST UPDATED: 10 Jul 2007 (20070710/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d l12, ibib abs fhitr, 1-58

L12 ANSWER 1 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2007:516188 HCAPLUS  
TITLE: Fluopicolide: metabolism in animals  
AUTHOR(S): Fisher, P. J.  
CORPORATE SOURCE: Sophia Antipolis Research Centre, Bayer CropScience  
SA, Sophia Antipolis, F-06903, Fr.  
SOURCE: Pflanzenschutz-Nachrichten Bayer (German Edition)  
(2006), 59(2-3), 243-260  
CODEN: PNBAT; ISSN: 0340-1723  
PUBLISHER: Bayer AG  
DOCUMENT TYPE: Journal; General Review  
LANGUAGE: English

AB A review. The metabolism of fluopicolide has been studied in the rat, cow and hen. In the rat following oral dosing with [<sup>14</sup>C]-fluopicolide at a nominal dose of 10 mg/kg the absorption was found to be moderately rapid with maximal blood concentration being achieved between 7 and 10 h. The extent of absorption was found to be between 61.5 % to 80.1 % for both sexes. Tissue radioactivity levels were consistently low. The major route of elimination was the faeces at ca. 80 % dose. The investigations into the metabolism of fluopicolide all demonstrated that it was capable of being extensively metabolised by the rat. The biotransformations observed included aromatic ring hydroxylation, hydrolysis, acetylation, oxidative N-dealkylation and conjugation with glucuronic acid, sulfate and glutathione. Fluopicolide, to lactating cows or laying hens, following a repeat dose regime, is absorbed but then is rapidly and extensively eliminated (75 % to 95 %) with minimal transfer to tissues, milk and eggs.


IT INDEXING IN PROGRESS

IT 239110-15-7, Fluopicolide

RL: BSU (Biological study, unclassified); BIOL (Biological study)  
(metabolism of fluopicolide in animals)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



Updated Search

L12 ANSWER 2 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:516185 HCAPLUS

TITLE: The human and environmental safety aspects of fluopicolide

AUTHOR(S): Leake, C.; Mackenzie, E.; Payraudeau, V.; Radix, P.; Schenk-Epp, H.; Wegmann, T.

CORPORATE SOURCE: Bayer CropScience AG, Monheim am Rhein, D-40789, Germany

SOURCE: Pflanzenschutz-Nachrichten Bayer (German Edition) (2006), 59(2-3), 201-208

CODEN: PNBAT; ISSN: 0340-1723

PUBLISHER: Bayer AG

DOCUMENT TYPE: Journal

LANGUAGE: English

AB Fluopicolide is a new highly active and long-lasting fungicide, which belongs to the novel chemical class of acyl picolides. Extensive studies as well as assessments have been carried out to evaluate the human and environmental safety aspects of this fungicide and resulted in a very favorable profile concerning toxicol., residue behavior, environmental fate and ecotoxicol. The degradation rates of fluopicolide in soil are 100-140 days (average DT50 values in US and Europe). Based on intensive field testing even under worst-case conditions for leaching, fluopicolide will not pose a risk to groundwater and the environment. All metabolites possibly occurring in the environment in relevant amts. were tested comprehensively with regard to toxicol. and biol. activity and can be classified as non-relevant. Low toxicity of fluopicolide was observed to birds, wild mammals, honeybees, non-target arthropods, earthworms and other soil organisms. Fish and some algae species have been found to be more susceptible. The safety assessment confirmed no concern under practical conditions even without any risk mitigation measures.


IT INDEXING IN PROGRESS

IT 239110-15-7, Fluopicolide

RL: ADV (Adverse effect, including toxicity); BIOL (Biological study) (human and environmental safety aspects of fluopicolide)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 3 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:329720 HCAPLUS

DOCUMENT NUMBER: 146:352963

TITLE: Synergistic fungicide composition comprising an arylamidine derivative and two known fungicides

INVENTOR(S): Dahmen, Peter; Seitz, Thomas; Wachendorff-Neumann, Ulrike

PATENT ASSIGNEE(S): Bayer CropScience A.-G., Germany


Updated Search

10582693

SOURCE: PCT Int. Appl., 49pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007031507	A1	20070322	WO 2006-EP66266	20060912
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: EP 2005-356154 A 20050913  
 OTHER SOURCE(S): MARPAT 146:352963  
 GI




AB The invention relates to a synergistic fungicide composition comprising an arylamidine derivative I [R1 = H, (un)substituted alkyl, alkenyl, etc.; R2, R3 = R1, cyano, acyl, etc.; R4, R5 = OH, SH, (un)substituted alkyl, alkenyl or alkynyl, etc.; R6 = (un)substituted carbocyclyl; A = bond, O, S, SO, SO2, etc.; m = 0, 1-3] and two other fungicides.

IT 239110-15-7D, Fluopicolide, mixts. with arylamidine derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicide compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



Updated Search

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 4 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:175571 HCAPLUS

DOCUMENT NUMBER: 146:222792

TITLE: Synergistic fungicidal mixtures comprising carboxylic acid N-[2-(haloalk(enyl)oxy)phenyl]amides

INVENTOR(S): Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Dietz, Jochen

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 112pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017449	A1	20070215	WO 2006-EP64988	20060802
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW</p> <p>RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM</p>				

PRIORITY APPLN. INFO.:


DE 2005-102005037679A 20050805

DE 2005-102005038964A 20050816

EP 2006-100836 A 20060125

OTHER SOURCE(S): MARPAT 146:222792

GI



AB The invention relates to synergistic fungicidal mixts. which comprise carboxylic acid-N-[2-(halogenalk(enyl)oxy)phenyl]amide derivs. I [Z = oxygen or sulfur; n = 0 or 1; Hal = halogen; Alk = C1-C6 alkyl halide or C2-C6 alkenyl halide; Het = (un)substituted pyrazolyl, thiazolyl or pyridinyl] and at least one known fungicide selected i.a. from azoles, strobilurines, carboxamides, heterocyclic compds. and carbamates.


IT 239110-15-7D, Fluopicolide, mixts. with carboxylic acid N-[2-(haloalk(enyl)oxy)phenyl]amides

10582693

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 5 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:175492 HCAPLUS

DOCUMENT NUMBER: 146:222791

TITLE: Synergistic fungicidal mixtures containing  
1-methylpyrazol-4-ylcarboxylic acid anilides

INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried;  
Stierl, Reinhard; Werner, Frank; Scherer, Maria

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 123pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017416	A2	20070215	WO 2006-EP64907	20060801
WO 2007017416	A3	20070510		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA				

PRIORITY APPLN. INFO.: DE 2005-102005037677A 20050805  
EP 2006-101198 A 20060202

OTHER SOURCE(S): MARPAT 146:222791

GI

Updated Search




AB Synergistic fungicidal mixts. comprise 1-methylpyrazol-4-ylcarboxylic acid anilides I (X = O or S; R1 = C1-C4 alkyl or C1-C4 haloalkyl; R2 = H or halo; R3, R4, R5 = cyano, nitro, halo, C1-C4 alkyl, C1-C4 haloalkyl, C1-C4 alkoxy, C1-C4 haloalkoxy or C1-C4 alkylthio) and azoles, strobilurines, carboxamides, heterocyclic compds.; carbamates, or other fungicides.

IT 239110-15-7D, Fluopicolide, mixts. with 1-methylpyrazol-4-ylcarboxylic acid anilides  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 6 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:174117 HCAPLUS

DOCUMENT NUMBER: 146:222788

TITLE: Control of Uredinales by synergistic mixtures of glyphosate with fungicides

INVENTOR(S): Haas, Ulrich Johannes

PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.

SOURCE: PCT Int. Appl., 46pp.  
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017256	A2	20070215	WO 2006-EP7850	20060808
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU,				



SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,  
 US, UZ, VC, VN, ZA, ZM, ZW  
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
 IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
 KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

US 2005-706544P

P 20050809

OTHER SOURCE(S): MARPAT 146:222788


AB The invention is directed to methods of protecting crops against attack by  
 phytopathogenic fungi, specifically Uredinales, as well as treatment of  
 crops infested by phytopathogenic organisms, comprising administering a  
 combination of glyphosate or its salts or esters and at least one  
 synergistically effective fungicide.

IT 239110-15-7D, Fluopicolide, mixts. with glyphosate or its salts or  
 esters

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicidal comps. for control of Uredinales)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-  
 pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 7 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:173794 HCAPLUS

DOCUMENT NUMBER: 146:222787

TITLE: Rust infection control in legumes by  
 heterocyclylcarboxanilides, optionally mixed with  
 other fungicides

INVENTOR(S): Dietz, Jochen; Stierl, Reinhard; Strathmann, Siegfried

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 31pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017409	A1	20070215	WO 2006-EP64861	20060731
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,				
GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,				
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,				
MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU,				
SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,				
US, UZ, VC, VN, ZA, ZM, ZW				

10582693


RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

DE 2005-102005037679A 20050805

OTHER SOURCE(S): MARPAT 146:222787

GI




AB A method is given for controlling rust infections in legumes by using heterocyclylcarboxanilide I ( $n = 0 - 4$ ;  $X = C1-C4$ -haloalkyl;  $Hal = halo$ ;  $Het = (un)substituted$  pyrazolyl, thiazolyl or pyridinyl). Optionally I is mixed with known fungicides, such as azoles, acylalanines, amine derivs., anilinopyrimidines, dicarboximides, dithiocarbamates, heterocyclic compds. or phenylpyrroles.

IT 239110-15-7D, Picobenzamid, mixts. with heterocyclylcarboxanilides  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(fungicides for rust infection control in legumes)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT.

L12 ANSWER 8 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:172974 HCAPLUS

DOCUMENT NUMBER: 146:222786

TITLE: Use of arylanilides for fungicidal seed treatment

INVENTOR(S): Dietz, Jochen

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 46pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

Updated Search

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007017231	A1	20070215	WO 2006-EP7801	20060807
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPLN. INFO.:			DE 2005-102005037679A	20050805
			DE 2005-102005038964A	20050816
			DE 2005-102005039785A	20050822
			EP 2006-100836	A 20060125
			EP 2006-114521	A 20060524
OTHER SOURCE(S):			MARPAT 146:222786	
GI				




AB The invention relates to the use of arylanilides I [X = halo, Y = O or S; n = 0, 1-4; R = (halo)alkyl, (halo)alkenyl; cycloalkyl or cycloalkenyl; Ar = (un)substituted imidazolyl, thiazolyl, pyridinyl or Ph] for fungicidal seed treatment. Optionally, I is used in mixture with any of a very large number of known fungicides.

IT 239110-15-7D, Picobenzamid, mixts. with arylanilides  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (fungicides for seed treatment)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

10582693

L12 ANSWER 9 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2007:117802 HCAPLUS  
DOCUMENT NUMBER: 146:200241  
TITLE: Compositions containing amides and other pesticides  
for controlling pests and plant diseases  
INVENTOR(S): Kawahara, Nobuyuki; Nomura, Michikazu; Daido, Hidenori  
PATENT ASSIGNEE(S): Mitsui Chemicals, Inc., Japan  
SOURCE: PCT Int. Appl., 193pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: Japanese  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007013150	A1	20070201	WO 2005-JP13728	20050727
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: WO 2005-JP13728 20050727  
OTHER SOURCE(S): MARPAT 146:200241  
GI



AB Comps. for efficiently controlling a pest that cannot be controlled or is difficult to control with specified pesticidal amides (I; A1-A4 = C, N, oxidized N; G1, G2 = O, S; R1, R2 = H, C1-4 alkyl; X = H, halo, CF3; Q1, Q2 = (un)substituted Ph, heterocyclyl) comprise, as active ingredients,  $\geq 1$  amide I and  $\geq 1$  other insecticide, acaricide, or microbicide. Thus, I (A1-A4 = C; G1, G2 = O; R1 = Me; R2 = H; X1 = F; X2-X4 = H; Q1 = Ph; Q2 = 2,6-dimethyl-4-(heptafluoroisopropyl)phenyl) + acephate at 3 + 250 ppm gave 100% control of green peach aphid (*Myzus persicae*) in a pot experiment with eggplant.


IT 239110-15-7D, Picobenzamid, mixts. with amides

## Updated Search

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (comps. containing amides and other pesticides for controlling pests and  
 plant diseases)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-  
 pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS  
 RECORD: ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 10 OF 58. HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:117616 HCAPLUS

DOCUMENT NUMBER: 146:200212

TITLE: Synergistic fungicidal mixtures based on  
 azolopyrimidinylamines

INVENTOR(S): Beck, Christine; Niedenbrueck, Matthias; Scherer,  
 Maria; Stierl, Reinhard; Strathmann, Siegfried;  
 Huenger, Udo

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 62pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007012598	A1	20070201	WO 2006-EP64463	20060720
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			


PRIORITY APPLN. INFO.: DE 2005-102005035688A 20050727

OTHER SOURCE(S): MARPAT 146:200212

GI



- AB Fungicidal mixts. comprise azolopyrimidinylamines (I, R1 = (un)substituted (alkoxy)alkyl, alkenyl, cycloalkyl, Ph, Ph-alkyl; R2 = (un)substituted (halo)alkyl, alkenyl, alkoxyalkyl; R3 = H, halo, CN, OH, SH, (halo)alkyl, etc.; and A = CR3 or N) and  $\geq 1$  active component selected from azoles, strobilurins, carboxamides, heterocyclic compds., carbamates, guanidines, antibiotics, sulfur-containing heterocyclyl compds., organophosphorus compds., organochlorine compds., inorg. active compds., growth retardants and cyflufenamid, cymoxanil, dimethirimol, ethirimol, furalaxyl, metrafenone and spiroxamine, in synergistically effective amts. Methods of controlling fungal pathogens using said mixts., production of such mixts., and compns. comprising these mixts. are claimed also. Thus, I (R1 = tert-BuPh, R2 = Me, R3 = H) + cyazofamid at 16 + 4 ppm synergistically controlled *Phytophthora infestans* on tomato.
- IT 239110-15-7D, Fluopicolide, mixts. with azolopyrimidinylamines  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
 (picobenzamid; synergistic fungicides for controlling plant pathogens)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 11 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:88392 HCAPLUS

DOCUMENT NUMBER: 146:157649

TITLE: Agents comprising penthiopyrad and additional fungicide

INVENTOR(S): . Gewehr, Markus; Stierl, Reinhard; Brix, Horst Dieter; Grote, Thomas; Strathmann, Siegfried; Scherer, Maria; Werner, Frank

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 35pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007010036	A2	20070125	WO 2006-EP64508	20060721
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.:

DE 2005-102005034157A 20050721

OTHER SOURCE(S): MARPAT 146:157649


AB A fungicidal agent contains N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-(trifluoromethyl)-1H-pyrazole-4-carboxamide (penthioapyrad) and  $\geq 1$  addnl. fungicide selected from azoles, carboxylic acid amides, heterocyclic compds., carbamates, etc. These agents are applied simultaneously, jointly or sep., or successively for controlling plant pathogenic fungi. Thus, a mixture of penthiopyrad and metiram at 4 + 250 ppm synergistically controlled Pyrenophora teres on barley.

IT 239110-15-7, Fluopicolide

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (penthioapyrad and addnl. fungicide applied simultaneously or successively for controlling plant pathogenic fungi)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 12 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:88339 HCAPLUS

DOCUMENT NUMBER: 146:178834

TITLE: Synergistic pesticidal mixtures with nitrogen-containing component

INVENTOR(S): Hughes, David John; Peace, James Edward; Riley, Suzanna; Russell, Sally; Swanborough, Joseph John; Jeanguenat, Andre; Renold, Peter; Hall, Roger Graham; Loiseleur, Olivier; Trah, Stephan; Wenger, Jean

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.; Syngenta Limited

SOURCE: PCT Int. Appl., 261pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

Updated Search

10582693


LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007009661	A2	20070125	WO 2006-EP6866	20060713
WO 2007009661	A3	20070329		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: GB 2005-14652 A 20050715  
 OTHER SOURCE(S): MARPAT 146:178834  
 GI



AB Pesticidal compns. comprise mixts. consisting of N-containing compds. (e.g., I) and  $\geq 1$  compound selected from acaricides, anthelmintics, avicides, bactericides, biol. agents, chemosterilants, insect repellents, insecticides, etc. The compns. are applied to pests or their environment for controlling insects or representatives of the order Acarina. Also claimed is plant propagation material treated with such a composition and treatment of the site where the propagation material is planted. Thus, young soybean plants were sprayed with an aqueous emulsion comprising 400 ppm of active ingredient mixture of the invention, populated with 10 *Spodoptera littoralis* caterpillars (in the third stage), then placed in a container. Evaluation after 3 days showed that the mixture exhibited good activity.

IT 239110-15-7D, Fluopicolide, mixts. containing  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (as synergistic pesticides)


RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-

Updated Search



pyridinyl)methyl]- (CA INDEX NAME)



L12 ANSWER 13 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:61500 HCAPLUS

DOCUMENT NUMBER: 146:136876

TITLE: Fungicidal mixtures based on 1-methylpyrazol-4-ylcarboxylic acid anilides

INVENTOR(S): Gewehr, Markus; Stierl, Reinhard; Dietz, Jochen; Mueller, Bernd; Scherer, Maria; Strathmann, Siegfried; Werner, Frank; Vonend, Michael

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 72pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007006806	A2	20070118	WO 2006-EP64199	20060713
WO 2007006806	A3	20070322		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				


PRIORITY APPLN. INFO.:

DE 2005-102005033517A 20050714


EP 2006-100901 A 20060126

OTHER SOURCE(S): MARPAT 146:136876

GI



- AB Fungicidal mixts. contain, as active components in a synergistically active quantity, (1) 1-methylpyrazol-4-yl carboxylic acid anilides (I), wherein X = O, S; R1 = halo, C1-4 (halo)alkyl; R2 = H, halo; and R3 = NO2, CN, halo, C1-4 (halo)alkyl, C1-4 (halo)alkoxy, or C1-4 alkylthio, and (2)  $\geq 1$  active ingredient selected from azoles, strobilurins, carboxylic acid amides, heterocyclic compds., carbamates, and other fungicides. The invention also relates to a method for controlling pathogenic fungi using mixts. consisting of  $\geq 1$  compound I and  $\geq 1$  of the other active ingredients, to the production of such mixts., and to agents and seeds containing said mixts. Thus, I (R1 = CHF2; R2 = H; R3 = CF3) + metiram at 63 + 63 mg/L synergistically controlled early blight caused by *Alternaria solani* on tomato.
- IT 239110-15-7D, Fluopicolide, mixts. with pyrazolylcarboxylic acid anilides  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (picobenzamid; synergistic fungicides for controlling pathogenic fungi)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 14 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:34123 HCAPLUS

DOCUMENT NUMBER: 146:95047

TITLE: Synergistic fungicidal mixtures comprising 1-methylpyrazol-4-ylcarboxanilide derivatives

INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 64pp.  
 CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007003644	A1	20070111	WO 2006-EP63867	20060704
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPLN. INFO.:			DE 2005-102005031848A	20050706
			EP 2006-101237	A 20060203
OTHER SOURCE(S):		MARPAT 146:95047		
GI				




AB Synergistic fungicidal mixts. comprise the 1-methylpyrazol-4-ylcarboxanilide derivs. I (X = O or S; R1 = (halo)alkyl; R2 = H or halo) and any of a very large number of known fungicides, such as azoles, strobilurines, carboxamides, heterocyclic compds., carbamates, etc.

IT 239110-15-7, Fluopicolide  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS

Updated Search

## RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L12 ANSWER 15 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2007:33780 HCAPLUS  
 DOCUMENT NUMBER: 146:95046  
 TITLE: Preparation of 3-monosubstituted pyrazolecarboxylic acid biphenyl amides for synergistic fungicide mixtures  
 INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria  
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 78pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007003603	A2	20070111	WO 2006-EP63752	20060630
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.:

DE 2005-102005031668A 20050705  
 EP 2006-2393 A 20060206

OTHER SOURCE(S): MARPAT 146:95046  
 GI




I

AB The invention relates to synergistic fungicide mixts. containing 3-monosubstituted pyrazolecarboxylic acid biphenyl amides I (X = O or S;

Updated Search

R1 = cyano, nitro, halo, C1-C6 alkyl, C1-C6 haloalkyl, methoxy, difluoromethoxy, trifluormethoxy, methylthio, difluoromethylthio or trifluormethylthio; R2 = halo, C1-C4 alkyl or C1-C4 haloalkyl; R3 = H or halo) and any of a very large number of known fungicides, such as azoles, strobilurines, carboxylic acid amides, heterocyclic compds., carbamates, etc. The preparation of I is given.

IT 239110-15-7D, Fluopicolide, mixts. with pyrazolecarboxylic acid biphenyl amides  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicide compns.)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 16 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2007:33500 HCAPLUS  
 DOCUMENT NUMBER: 146:136873  
 TITLE: Fungicide mixtures based on 3,5-disubstituted pyrazole-carboxylic acid biphenylamides  
 INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria  
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 88pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007003564	A1	20070111	WO 2006-EP63664	20060629
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				


PRIORITY APPLN. INFO.: DE 2005-102005031199A 20050701  
 EP 2006-101427 A 20060208  
 OTHER SOURCE(S): MARPAT 146:136873

AB The invention relates to fungicide mixts. containing as active components at least one type of 3,5-disubstituted pyrazol-carboxylic acid biphenylamide and at least active fungicide chosen from the group azoles; strobilurins; carboxylic acid amides; heterocyclic compds.; carbamates and other fungicides in synergistically active quantity. Also provided is a method for combating parasitic fungi by means of the mixts. described above and the use of the compound(s) for protecting seeds.

IT 239110-15-7  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
 (fungicide mixts. based on 3,5-disubstituted pyrazole-carboxylic acid biphenylamides)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 17 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:33497 HCAPLUS

DOCUMENT NUMBER: 146:121670

TITLE: Fungicide mixtures based on 2,5-disubstituted pyrazol carboxylic acid biphenylamides

INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 87pp.  
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007003540	A1	20070111	WO 2006-EP63624	20060628
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,			

10582693

KG, KZ, MD, RU, TJ, TM  
PRIORITY APPLN. INFO.:

DE 2005-102005030951A 20050630  
EP 2006-101597 A 20060213


OTHER SOURCE(S): MARPAT 146:121670

AB The invention relates to fungicidal mixts. containing at least one 2,5-disubstituted pyrazol carboxylic acid biphenylamide and at least one active substance selected among azoles, strobilurins, carboxylic acid amides, heterocyclic compds., carbamates, and other fungicides, at a synergistically effective amount as active components. Also disclosed are methods for controlling harmful fungi with the aid of mixts. of two compds. as described above.

IT 239110-15-7, Picobenzamid  
RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
(fungicide mixts. based on 2,5-disubstituted pyrazol carboxylic acid biphenylamides)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 18 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:33030 HCAPLUS

DOCUMENT NUMBER: 146:95043

TITLE: Preparation of pyrazolecarboxylic acid biphenylamide derivatives as components in synergistic fungicide mixtures

INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 88pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007003643	A1	20070111	WO 2006-EP63866	20060704
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,				

Updated Search


10582693

US, UZ, VC, VN, ZA, ZM, ZW  
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

DE 2005-102005031850A 20050706  
EP 2006-101045 A 20060130

OTHER SOURCE(S): MARPAT 146:95043  
GI




AB The invention relates to synergistic fungicidal mixts. containing 3,4-disubstituted pyrazole carboxylic acid biphenylamide derivs. I (X = O or S; R1, R2 = fluorine, chlorine, Me, cyano, nitro, methoxy or trifluoromethyl; R3 = difluoromethyl or trifluoromethyl) and known fungicides, such as azoles, strobilurins, carboxamides, heterocyclic compds., carbamates, etc. The preparation of I is given.

IT 239110-15-7D, Fluopicolide, mixts. with pyrazolecarboxylic acid biphenylamide derivs.  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 19 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2007:17003 HCAPLUS  
DOCUMENT NUMBER: 146:95039

Updated Search



10582693

TITLE: Preparation of 2,4-disubstituted pyrazolecarboxylic acid biphenylamides as components in synergistic fungicidal mixtures

INVENTOR(S): Dietz, Jochen; Gewehr, Markus; Strathmann, Siegfried; Stierl, Reinhard; Werner, Frank; Scherer, Maria

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 85pp.  
CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007000462	A1	20070104	WO 2006-EP63620	20060628
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: DE 2005-102005030790A 20050629  
EP 2006-101712 A 20060215

OTHER SOURCE(S): MARPAT 146:95039  
GI




AB The invention relates to synergistic fungicide mixts. of (a) 2,4-disubstituted pyrazole carboxylic acid biphenylamide derivs. I (X = oxygen or sulfur; R1, R2 = cyano, nitro, halogen, alkyl, haloalkyl, methoxy, difluoromethoxy or trifluoromethoxy; R3 = halo, alkyl or halonalkyl; R4 = hydrogen or halo) and (b) any of a large number of known fungicides, such as azoles, strobilurines, carboxamides, heterocyclic compds., carbamates, etc. The preparation of I is given.

Updated Search

10582693

IT 239110-15-7D, Fluopicolide, mixts. with pyrazolecarboxylic acid biphenylamide derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 20 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:1356873 HCAPLUS  
 DOCUMENT NUMBER: 146:76544  
 TITLE: Synergistic fungicide composition comprising a phosphorous acid derivative, a mandelamide type compound and a further fungicide  
 INVENTOR(S): Gouot, Jean-Marie; Latorse, Marie-Pascale  
 PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.  
 SOURCE: PCT Int. Appl., 39pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006136551	A1	20061228	WO 2006-EP63349	20060620
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: EP 2005-356110 A 20050621  
 OTHER SOURCE(S): MARPAT 146:76544

AB Synergistic fungicide compns. comprise a phosphorous acid derivative (phosphonate or phosphite derivative), a mandelamide type like mandipropamid and a further fungicide. In addition, such combinations have a broad spectrum of activity.  
 IT 239110-15-7D, Fluopicolide, mixts. with phosphorous acid derivative

Updated Search


10582693

and mandipropamide

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal comps.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 21 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:1312405 HCAPLUS

DOCUMENT NUMBER: 146:21711

TITLE: Method of fungicide identification

INVENTOR(S): Toquin, Valerie; Zundel, Jean-Luc; Barja, Francois; Beffa, Roland

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 20pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006131546	A1	20061214	WO 2006-EP63016	20060608
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: US 2005-689132P P 20050609


AB The invention deals with a method for identifying fungicidal comps. comprising the steps of : contacting fungal cells with the compound, then contacting the fungal cells with an antibody raised against spectrin protein, and observing the distribution of spectrin-like proteins relative to a control, wherein the redistribution of the spectrin-like protein from a inner face of cell membrane to a cytosolic location identifies a fungicide candidate.

IT 239110-15-7, Fluopicolide

Updated Search

10582693

RL: ANT (Analyte); ANST (Analytical study)  
 (method of fungicide identification)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 22 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:1311226 HCAPLUS  
 DOCUMENT NUMBER: 146:21723  
 TITLE: Fungicidal compositions comprising a triazolopyrimidine derivative  
 INVENTOR(S): Gebauer, Olaf; Heinemann, Ulrich; Dahmen, Peter; Wachendorff-Neumann, Ulrike  
 PATENT ASSIGNEE(S): Bayer CropScience A.-G., Germany  
 SOURCE: PCT Int. Appl., 122pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006131246	A1	20061214	WO 2006-EP5183	20060531
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
DE 102005026255	A1	20061221	DE 2005-102005026255	20050608
PRIORITY APPLN. INFO.:			DE 2005-102005026255A	20050608
OTHER SOURCE(S):	MARPAT 146:21723			
GI				

Updated Search




AB Disclosed are fungicidal combinations composed of a triazolopyrimidine I [R1 = alkyl or alkenyl; R2 = H or alkyl; R3 = alkyl, CN, Br or Cl; R4, R5, R6, R7, R8 = H, F, Cl, Me or CF<sub>3</sub>] and any of a large number of known fungicides.

IT 239110-15-7D, Fluopicolide, mixts. with triazolopyrimidine derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 23 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:1309315 HCAPLUS

DOCUMENT NUMBER: 146:40241

TITLE: Fungicidal compositions comprising a herbicide

INVENTOR(S): Stenzel, Klaus; Dollinger, Markus; Dahmen, Peter; Wachendorff-Neumann, Ulrike; Haeuser-Hahn, Isolde; Grosjean, Marie-Claire; Leroux, Marc Bernard; Sawada, Haruko; Hadano, Hiroyuki; Gouot, Jean-Marie; Scherb, Christian

PATENT ASSIGNEE(S): Bayer Cropscience A.-G., Germany

SOURCE: PCT Int. Appl., 75pp.  
 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006131230	A2	20061214	WO 2006-EP5094	20060527
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,				

KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,  
 MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,  
 SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,  
 VN, YU, ZA, ZM, ZW  
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
 IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
 KG, KZ, MD, RU, TJ, TM

DE 102005026482 A1 20061214 DE 2005-102005026482 20050609

DE 102005026483 A1 20061214 DE 2005-102005026483 20050609

PRIORITY APPLN. INFO.:

DE 2005-102005026482A 20050609

DE 2005-102005026483A 20050609


AB The invention relates to active substance combinations containing a known herbicide selected from glyphosate, glufosinate or glufosinate ammonium, on the one hand, and a known fungicide on the other, and which are well-suited for controlling phytopathogenic fungi, particularly soybean rust. The mixts. are preferably applied to transgenic plants which are resistant to the aforementioned herbicides.

IT 239110-15-7D, Fluopicolide, mixts. with herbicides

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 24 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:1147605 HCAPLUS

DOCUMENT NUMBER: 145:471370

TITLE: Preparation of sulfonamido group-containing diamine compounds, their use as agrochemical fungicides, and pesticide compositions containing them and other fungicides/insecticides

INVENTOR(S): Kobayashi, Yumi; Kakimoto, Takeshi; Chiba, Yutaka; Tomura, Naofumi; Araki, Natsuko; Yoshida, Masako

PATENT ASSIGNEE(S): Mitsui Chemicals Inc., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 40pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent


LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2006298785	A	20061102	JP 2005-119275	20050418
PRIORITY APPLN. INFO.:			JP 2005-119275	20050418

OTHER SOURCE(S) : MARPAT 145:471370  
GI



IT 239110-15-7, Picobenzamid  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (preparation of sulfonamido group-containing diamine compds. as agrochem.  
 fungicides and pesticide compns. containing them and other  
 fungicides/insecticides)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-  
 pyridinyl]methyl]- (CA INDEX NAME)



L12 ANSWER 25 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
ACCESSION NUMBER: 2006:1096177 HCAPLUS  
DOCUMENT NUMBER: 145:412438  
TITLE: Synergistic fungicidal, insecticidal and acaricidal  
compositions comprising a bisamide compound  
INVENTOR(S): Dutton, Ana Cristina; Hall, Roger Graham; Jeanguenat,  
Andre  
PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.  
SOURCE: PCT Int. Appl., 89pp.  
CODEN: PIXXD2


## Updated Search

10582693

DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006108552	A2	20061019	WO 2006-EP3133	20060406
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: CH 2005-637 A 20050408  
 OTHER SOURCE(S): MARPAT 145:412438  
 GI




AB The title compns. comprise a bisamide I (R1 = halo, haloalkyl or haloalkoxy; R2 = halo or haloalkyl; R3 = halo or cyano; R4 = alkyl) and any of a large number of known fungicides.

IT 239110-15-7D, Fluopicolide, mixts. with bisamides  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal, insecticidal and acaricidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



Updated Search



L12 ANSWER 26 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:1067023 HCAPLUS

DOCUMENT NUMBER: 145:371270

TITLE: Synergistic fungicidal compositions comprising a carboxamide derivative

INVENTOR(S): Wachendorff-Neumann, Ulrike; Dahmen, Peter; Dunkel, Ralf

PATENT ASSIGNEE(S): Bayer CropScience A.-G., Germany

SOURCE: PCT Int. Appl., 62pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent


LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006105888	A2	20061012	WO 2006-EP2778	20060327
WO 2006105888	A3	20070315		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
DE 102005015677	A1	20061012	DE 2005-102005015677	20050406
PRIORITY APPLN. INFO.:			DE 2005-102005015677A	20050406
OTHER SOURCE(S):			MARPAT 145:371270	

GI



AB Synergistic fungicidal compns. comprise a carboxamide derivative I [R = H or Me; G = H, Me or F; R1 = h, halo or (halo)alkyl; A = (un)substituted pyrrolyl, pyrazolyl or thiazolyl] and a second fungicide.

IT 911059-20-6

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)

RN 911059-20-6 HCAPLUS

CN 1H-Pyrazole-4-carboxamide, N-[2-(1,3-dimethylbutyl)-3-thienyl]-1-methyl-3-

Updated Search


10582693

(trifluoromethyl)-, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 183675-82-3

CMF C16 H20 F3 N3 O S



L12 ANSWER 27 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:1063137 HCAPLUS

DOCUMENT NUMBER: 145:412429

TITLE: Compositions containing diamines and other pesticides for controlling plant diseases and pests

INVENTOR(S): Tomura, Naofumi; Ebihara, Kouichi; Morizane, Kunihiro; Ezaki, Ryutaro; Kawahara, Nobuyuki; Nomura, Michikazu

PATENT ASSIGNEE(S): Mitsui Chemicals, Inc., Japan

SOURCE: PCT Int. Appl., 112pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006106811	A1	20061012	WO 2006-JP306638	20060330
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,				

Updated Search

KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX,  
 MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE,  
 SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,  
 VN, YU, ZA, ZM, ZW  
 RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
 IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
 CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
 GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
 KG, KZ, MD, RU, TJ, TM


PRIORITY APPLN. INFO.:

JP 2005-100507

A 20050331

OTHER SOURCE(S): MARPAT 145:412429

- AB Pesticidal compns. with excellent plant disease-controlling and/or insecticidal effects contain as active ingredients (1) diamine derivs. represented by the formula  $R1O2CN(R2)C(R3)(R4)C(R5)(R6)N(R7)COR8$  (I, wherein R1 = halogen-substituted C1-6 hydrocarbon, etc.; R2, R7 = independently H, C1-6 hydrocarbon, etc.; R3, R4 = independently H, (un)substituted C1-6 hydrocarbon, etc., or C3-6 cycloalkyl; R5, R6 = independently is H, C1-6 hydrocarbon, etc.; and R8 = (un)substituted arylalkyl, (un)substituted (hetero)aryl) and (2)  $\geq 1$  compound selected from other microbicides, insecticides, and acaricides. Thus, I (R1 = F3CCH2; R2, R4, R5, R6, R7 = H; R3 = iso-Pr; R8 = 4-MeC6H4) + diclocymet at 7.5 + 1.5 g/box gave 100% control of *Pyricularia oryzae* on rice.
- IT 239110-15-7D, mixts. with diamines  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)  
 (compns. containing diamines mixed with other pesticides for controlling plant diseases and pests)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT:

10

THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS  
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 28 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:817508 HCAPLUS

DOCUMENT NUMBER: 145:226087

TITLE: Fungicidal composition comprising a  
 pyridylmethylbenzamide derivative and a  
 thiazolecarboxamide derivative

INVENTOR(S): Wegmann, Thomas; Gouot, Jean-Marie

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 19pp.

CODEN: PIXXD2


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006084773	A1	20060817	WO 2006-EP2580	20060209
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
PRIORITY APPLN. INFO.:			EP 2005-356032	A 20050211
OTHER SOURCE(S):			MARPAT 145:226087	
GI				




AB A synergistic fungicidal composition comprises (a) a pyridylmethylbenzamide derivative (I, where R1 = H, (un)substituted alkyl, (un)substituted acyl; R2 = H, (un)substituted alkyl; R3, R4 = independently halo, OH, CN, NO3, SF5, etc.; p, q = 0, 1, 2, 3, 4) or agriculturally acceptable isomers, tautomers, and addition salts and (b) N-(cyano-2-thienylmethyl)-4-ethyl-2-(ethylamino)-5-thiazolecarboxamide, in an (a)/(b) weight ratio from 0.01 to 10. The composition may include an addnl. fungicidal compound. As a method for preventively or curatively combating phytopathogenic fungi of crops, this composition is applied to the seed, the plant or the fruit, or the soil in which the plant is growing.

IT 239110-15-7D, mixts. with thiazolecarboxamide derivative  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicides for controlling phytopathogenic fungi of crops)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS

Updated Search

## RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 29 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:656465 HCAPLUS  
 DOCUMENT NUMBER: 145:97980  
 TITLE: Synergistic fungicidal mixtures comprising an isoxazole derivative  
 INVENTOR(S): Gewehr, Markus; Stierl, Reinhard; Niedenbrueck, Matthias; Huenger, Udo  
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 38 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006069715	A1	20060706	WO 2005-EP13815	20051221
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: DE 2004-102004063322A 20041223

OTHER SOURCE(S): MARPAT 145:97980

AB Synergistic fungicidal mixts. comprise the isoxazole derivative SYP-Z048 and an azole, strobilurine, carboxylic acid amide, heterocyclic compound, carbamate, guanidine, antibiotic, nitrophenyl derivative, sulfur-containing heterocyclyl compound, organometal compound, etc.

IT 896128-88-4

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicidal composition)

RN 896128-88-4 HCAPLUS


CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 3-[5-(4-chlorophenyl)-2,3-dimethyl-3-isoxazolidinyl]pyridine (9CI) (CA INDEX NAME)

CM 1

CRN 847749-37-5

CMF C16 H17 Cl N2 O


10582693



CM 2

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 30 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:656361 HCAPLUS

DOCUMENT NUMBER: 145:97979

TITLE: Synergistic fungicidal mixtures containing carbamate oxime ethers

INVENTOR(S): Gewehr, Markus; Stierl, Reinhard; Niedenbrueck, Matthias

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 41 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006069716	A1	20060706	WO 2005-EP13816	20051221
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				

Updated Search

10582693


RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

DE 2004-102004063382A 20041223

OTHER SOURCE(S): MARPAT 145:97979

GI




AB Synergistic fungicidal mixts. contain carbamate oxime ethers I (X = N or CH) and at least one active substance selected from azoles, strobilurines, carboxylic acid amides, heterocyclic compds., carbamates, guanidine, antibiotics, nitrophenyl derivs., heterocyclyl compds. containing sulfur, organometal compds., organophosphorus compds., organochlorine compds., inorg. active substances, cyflufenamides, cymoxanil, dimethirimol, ethirimol, furalaxyl, metrafenone and spiroxamines.

IT 239110-15-7D, Fluopicolide, mixts. with carbamate oxime ethers  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(Picobenzamid; synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT:

6

THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 31 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:655792 HCAPLUS

DOCUMENT NUMBER: 145:97976

TITLE: Synergistic fungicidal mixtures comprising  
enestroburin and a carboxamide derivative

INVENTOR(S): Gewehr, Markus; Stierl, Reinhard; Niedenbrueck,  
Matthias; Huenger, Udo

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 30 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

Updated Search

10582693

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006069713	A1	20060706	WO 2005-EP13813	20051221
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				


PRIORITY APPLN. INFO.:

DE 2004-102004063383A 20041223

OTHER SOURCE(S):

MARPAT 145:97976

GI



AB Synergistic fungicidal mixts. contain strobilurin derivative (I) and a carboxamide derivative (carboxin, benalaxyl, boscalid, etc.).

IT 894805-34-6

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal mixture)

RN 894805-34-6 HCAPLUS

CN Benzeneacetic acid, 2-[[[3-(4-chlorophenyl)-1-methyl-2-propenylidene]amino]oxy]methyl]- $\alpha$ -(methoxymethylene)-, methyl ester, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)


CM 1

CRN 750643-57-3

CMF C22 H22 Cl N O4

Updated Search






CM 2

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 32 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:634725 HCAPLUS

DOCUMENT NUMBER: 145:103571

TITLE: Process for the preparation of 2-pyridylethylcarboxamide derivatives

INVENTOR(S): Ihermitte, Frederic; Coqueron, Pierre-Yves; Desbordes, Philippe; Himmler, Thomas

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006067103	A2	20060629	WO 2005-EP56895	20051219
WO 2006067103	A3	20061116		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,			

KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.:

EP 2004-356203

A 20041221

OTHER SOURCE(S):

CASREACT 145:103571; MARPAT 145:103571


AB N-[2-(2-pyridyl)ethyl]carboxamide derivs. 2-pyridyl-CH<sub>2</sub>CHR<sub>1</sub>NR<sub>2</sub>CO-A [the pyridyl ring may be substituted; R<sub>1</sub> is H, alkyl, haloalkyl, or alkoxy-carbonyl; R<sub>2</sub> is H or cyclopropyl; A is (un)substituted Ph or non-fused heterocyclyl] were prepared by treating 2-pyridyl-CHR<sub>3</sub>CO<sub>2</sub>-Alk (R<sub>3</sub> is H or CO<sub>2</sub>-Alk, where Alk is alkyl) with AcOCHR<sub>1</sub>NR<sub>2</sub>CO-A, followed by decarboxylation. Thus, treatment of di-Et 3-chloro-5-(trifluoromethyl)-2-pyridylmalonate (I) with N-acetoxy-2-(trifluoromethyl)benzamide (II) in THF containing NaH and decarboxylation (32% HCl/KCl/NMP) afforded N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridyl]ethyl]-2-(trifluoromethyl)benzamide. Reactant I was prepared by reaction of 2,3-dichloro-5-(trifluoromethyl)pyridine with di-Et malonate and reactant II was prepared from 2-(trifluoromethyl)benzoyl chloride by amidation, hydroxymethylation with formaldehyde, and acetylation.

IT 895525-74-3P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
(preparation of pyridylethylcarboxamide derivs.)

RN 895525-74-3 HCAPLUS

CN Propanedioic acid, [3-chloro-5-(trifluoromethyl)-2-pyridinyl][[2-(trifluoromethyl)benzoyl]amino]methyl]-, diethyl ester (9CI) (CA INDEX NAME)



L12 ANSWER 33 OF 58. HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:632743 HCAPLUS

DOCUMENT NUMBER: 145:57501

TITLE: Rust control in legumes using orysastrobin

INVENTOR(S): Speakman, John-Bryan; Stierl, Reinhard; Strathmann, Siegfried; Dombo, Peter; Niedenbrueck, Matthias; Haden, Egon; Voeste, Dirk; Groeger, Ulf

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 14 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006066810	A2	20060629	WO 2005-EP13552	20051216
WO 2006066810	A3	20060921		

Updated Search

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

## PRIORITY APPLN. INFO.:

DE 2004-102004062455A 20041220

AB The invention relates to a method for controlling rusting in leguminous plants by the application of orysastrobin. The invention also relates to mixts. of orysastrobin with a 2nd fungicide of the groups of azoles, acylalanines, amine derivs., anilinopyrimidines, dicarboximides, dithiocarbamates, heterocyclic compds., phenylpyrrols, cinnamic acid amides, and the like.

IT 891761-20-9

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(fungicide for rust control in legumes)

RN 891761-20-9 HCAPLUS


CN Benzeneacetamide,  $\alpha$ -(methoxyimino)-2-[(3E,5E,6E)-5-(methoxyimino)-4,6-dimethyl-2,8-dioxo-3,7-diazanona-3,6-dien-1-yl]-N-methyl-, ( $\alpha$ E)-, mixt. with 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 248593-16-0

CMF C18 H25 N5 O5


Double bond geometry as shown.



CM 2

CRN 239110-15-7

CMF C14 H8 C13 F3 N2 O



L12 ANSWER 34 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:630587 HCAPLUS

DOCUMENT NUMBER: 145:83234

TITLE: Process for the preparation of 2-(2-aminoethyl)pyridine derivatives

INVENTOR(S): Coqueron, Pierre-Yves; Lhermitte, Frederic; Perrin-Janet, Gilles; Dufour, Paul

PATENT ASSIGNEE(S): Bayer Cropscience S.A., Fr.

SOURCE: Eur. Pat. Appl., 24 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1





PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1674455	A1	20060628	EP 2004-356202	20041221
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, BA, HR, IS, YU				
WO 2006067106	A1	20060629	WO 2005-EP56900	20051219
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				


PRIORITY APPLN. INFO.: EP 2004-356202 A 20041221

OTHER SOURCE(S): CASREACT 145:83234; MARPAT 145:83234

GI



- AB 2-(2-Aminoethyl)pyridine derivs. [I; X = H, halogen, nitro, HO, (un)substituted NH<sub>2</sub>, (un)substituted alkyl CO<sub>2</sub>H, (un)substituted sulfanyl, (un)substituted carbamoyl, alkenyl, alkynyl, (un)substituted alkoxy, etc.; p = 1-4; e.g., 3-chloro-5-(trifluoromethyl)-2-(2-aminoethyl)pyridine] are prepared in high yield and selectivity by the cyanomethylation of a 2-halopyridine derivative [II; Y = halogen; e.g., 2,3-dichloro-5-(trifluoromethyl)pyridine] with an alkyl cyanoacetate RO<sub>2</sub>CCH<sub>2</sub>CN (R = alkyl; e.g., Et cyanoacetate) to give a 2-(cyanomethyl)pyridine derivative [III; e.g., 3-chloro-5-(trifluoromethyl)-2-(2-cyanomethyl)pyridine] which is then catalytically hydrogenated into the and amidated with an alkanolic acid derivative R<sub>1</sub>COR<sub>2</sub> (R<sub>1</sub> = alkyl; R<sub>2</sub> = halogen, O<sub>2</sub>CR<sub>3</sub>; R<sub>3</sub> = alkyl; e.g., acetic anhydride) to give the pyridine amide derivative [IV; e.g., 3-chloro-5-(trifluoromethyl)-2-(2-acetylaminoethyl)pyridine] which is then subjected to acid (e.g., HCl) hydrolysis in water at 20° to reflux temperature
- IT 658066-35-4P, N-[2-[3-Chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-trifluoromethylbenzamide  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (in process for preparation of 2-(2-aminoethyl)pyridine derivs.)
- RN 658066-35-4 HCAPLUS
- CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)- (CA INDEX NAME)



REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 35 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2006:512967 HCAPLUS  
 DOCUMENT NUMBER: 144:482751  
 TITLE: Synergistic fungicidal menadione compositions

Updated Search

INVENTOR(S): Koehle, Harald; Stierl, Reinhard; Gold, Randall Evan;  
Goerth, Felix Christian; Speakman, John-Bryan; Dombo,  
Peter; Semar, Martin; Strobel, Dieter; Niedenbrueck,  
Matthias; Bestman, Hans  
PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
SOURCE: PCT Int. Appl., 43 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: German  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006056434	A1	20060601	WO 2005-EP12562	20051124
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

PRIORITY APPLN. INFO.: DE 2004-102004057279A 20041126

OTHER SOURCE(S): MARPAT 144:482751

AB Synergistic fungicidal compns. comprise menadione and at least one agent selected from: (A) azoles, such as cyproconazole, difenoconazole, epoxiconazole, fluquinconazole, flusilazole, hexaconazole, imazalil, metconazole, myclobutanil, penconazole, prochloraz, prothioconazole, tebuconazole, triadimefon, triadimenol, triflumizole; (B) strobilurines, such as azoxystrobin, dimoxystrobin, fluoxastrobin, kresoxim-Me, metominostrobin, orysastrobin, picoxystrobin, pyraclostrobin, or trifloxystrobin; (C) acylalanines, such as benalaxyl, metalaxyl, mefenoxam, ofurace, oxadixyl; (D) amine derivs., such as spiroxamine; (E) anilinopyrimidines, such as pyrimethanil, mepanipyrim, or cyprodinil, (F) dicarboximides, such as iprodion, procymidon, vinclozolin; (G) cinnamamides and analogs, such as dimethomorph, flumetover, or flumorph; (H) dithiocarbamates, such as ferbam, nabam, maneb, metam, metiram, propineb, polycarbamate, thiram, ziram, zineb; (I) heterocyclic compds., such as benomyl, boscalid, carbendazim, dithianon, famoxadone, fenamidone, picobenzamide, proquinazid, quinoxifen, thiophanat-Me, triforine, 5-chloro-7-(4-methyl-piperidine-1-yl)-6-(2,4,6-trifluoro-phenyl)-[1,2,4]triazolo[1,5-a]pyrimidin, 3-(3-bromo-6-fluoro-2-methyl-indol-1-sulfonyl)-[1,2,4]triazol-1-sulfonic acid di-Me amide, or thiophene derivs.

IT 887499-87-8  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 887499-87-8 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 2-methyl-1,4-naphthalenedione (9CI) (CA INDEX NAME)

CM 1


10582693

CRN 239110-15-7  
CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 58-27-5  
CMF C11 H8 O2



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 36 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:343598 HCAPLUS

DOCUMENT NUMBER: 144:364543

TITLE: Synergistic fungicidal compositions comprising pyrazole derivatives

INVENTOR(S): Walter, Harald; Corsi, Camilla; Ehrenfreund, Josef; Lamberth, Clemens; Tobler, Hans

PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.

SOURCE: PCT Int. Appl., 142 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006037632	A1	20060413	WO 2005-EP10755	20051006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN,				

Updated Search

10582693


YU, ZA, ZM, ZW  
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,  
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,  
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,  
KG, KZ, MD, RU, TJ, TM  
AU 2005291423 A1 20060413 AU 2005-291423 20051006  
CA 2580245 A1 20060413 CA 2005-2580245 20051006  
EP 1802198 A1 20070704 EP 2005-798443 20051006  
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, AL,  
BA, HR, MK, YU

PRIORITY APPLN. INFO.:

GB 2004-22401 A 20041008  
WO 2005-EP10755 W 20051006

OTHER SOURCE(S): MARPAT 144:364543

GI




AB Synergistic fungicidal compns. comprise a pyrazole derivative I (R1 = difluoromethyl or trifluoromethyl; Y = CHR2 or C:CH2; R2 = H or alkyl) or a I tautomer and component any of a very large number of known fungicides and insecticides.

IT 239110-15-7D, mixts. with pyrazole derivs.

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 37 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:343286 HCAPLUS

DOCUMENT NUMBER: 144:364542

Updated Search




10582693

TITLE: Synergistic fungicidal compositions comprising a pyridine derivative  
 INVENTOR(S): Walter, Harald; Corsi, Camilla; Ehrendfreund, Josef; Lamberth, Clemens; Tobler, Hans  
 PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.  
 SOURCE: PCT Int. Appl., 112 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006037633	A1	20060413	WO 2005-EP10756	20051006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: GB 2004-22399 A 20041008  
 OTHER SOURCE(S): MARPAT 144:364542  
 GI



AB A method of controlling phytopathogenic diseases on useful plants or on plant propagation material comprises applying a pyridine derivative I (R1 = alkyl, alkoxyalkyl or haloalkyl) or a I tautomer, in a mixts. with any of a very large number of known fungicides and/or insecticides.  
 IT 239110-15-7D, mixts. with pyridine derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)

Updated Search



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 38 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:343168 HCAPLUS

DOCUMENT NUMBER: 144:345094

TITLE: Synergistic fungicide mixtures comprising fluoxastrobin

INVENTOR(S): Suty-Heinze, Anne; Kerz-Moehlendick, Friedrich; Dutzmann, Stefan; Heinemann, Ulrich

PATENT ASSIGNEE(S): Bayer Cropscience AG, Germany

SOURCE: Ger. Offen., 31 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 102004049761	A1	20060413	DE 2004-102004049761	20041012
AU 2005293811	A1	20060420	AU 2005-293811	20051011
CA 2583321	A1	20060420	CA 2005-2583321	20051011
WO 2006040123	A2	20060420	WO 2005-EP10919	20051011
WO 2006040123	A3	20060629		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2004-102004049761A 20041012  
WO 2005-EP10919 W 20051011

AB Synergistic fungicide mixts. comprise fluoxastrobin and at least one of azaconazole, etaconazole, difenoconazole bromuconazole, cyproconazole, hexaconazole, penconazole, myclobutanile, tetraconazole, flutriafol, epoxiconazole, flusilazole, simeconazole, fenbuconazole, ipconazole, metconazole, triticonazole, fluquinconazole, quinconazole, benthiavalicarb, boscalid, furametpyr, etc.

IT 881212-84-6

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)

RN 881212-84-6 HCAPLUS

10582693


CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with (1E)-[2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl] (5,6-dihydro-1,4,2-dioxazin-3-yl)methanone O-methyloxime (9CI) (CA INDEX NAME)

CM 1

CRN 361377-29-9

CMF C21 H16 Cl F N4 O5


Double bond geometry as shown.



CM 2

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O



L12 ANSWER 39 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:342999 HCAPLUS

DOCUMENT NUMBER: 144:364541

TITLE: Synergistic fungicidal compositions comprising a pyrazole derivative

INVENTOR(S): Walter, Harald; Corsi, Camilla; Ehrenfreund, Josef; Lamberth, Clemens; Tobler, Hans

PATENT ASSIGNEE(S): Syngenta Participations A.-G., Switz.

SOURCE: PCT Int. Appl., 139 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.

KIND


DATE

APPLICATION NO.


DATE

Updated Search

WO 2006037634	A1	20060413	WO 2005-EP10757	20051006
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
AU 2005291425	A1	20060413	AU 2005-291425	20051006
CA 2579925	A1	20060413	CA 2005-2579925	20051006
EP 1796464	A1	20070620	EP 2005-789589	20051006
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR				
PRIORITY APPLN. INFO.:			GB 2004-22400	A 20041008
			WO 2005-EP10757	W 20051006
OTHER SOURCE(S):		MARPAT 144:364541		
GI				



- AB Synergistic fungicidal compns. comprise a pyrazole derivative I (R1 = difluoromethyl or trifluoromethyl; R2 = alkyl, alkoxyalkyl or haloalkyl) or a I tautomer and any of a very large number of known fungicides and/or insecticides.
- IT 239110-15-7D, mixts. with pyrazole derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



10582693

REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 40 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:151202 HCAPLUS

DOCUMENT NUMBER: 144:207363

TITLE: Synergistic fungicidal compositions comprising pyrazole derivatives

INVENTOR(S): Walter, Harald; Neuenschwander, Urs; Zeun, Ronald; Ehrenfreund, Josef; Tobler, Hans; Corsi, Camilla; Lamberth, Clemens

PATENT ASSIGNEE(S): Syngenta Participations AG, Switz.

SOURCE: PCT Int. Appl., 104 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006015865	A1	20060216	WO 2005-EP8748	20050811
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
AU 2005270319	A1	20060216	AU 2005-270319	20050811
CA 2573661	A1	20060216	CA 2005-2573661	20050811
EP 1778013	A1	20070502	EP 2005-791052	20050811
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BA, HR, MK, YU			


PRIORITY APPLN. INFO.:

GB 2004-18047 A 20040812

WO 2005-EP8748 W 20050811

OTHER SOURCE(S): MARPAT 144:207363

GI




Updated Search

AB Synergistic fungicidal compns. comprise the pyrazole derivs. I (R1 = CF3 or CHF2; H or Me) or I tautomers and one of a very large number of known fungicides.

IT 239110-15-7D, mixts. with pyrazole derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 41 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:147748 HCAPLUS

DOCUMENT NUMBER: 144:207360

TITLE: Synergistic fungicide mixtures comprising triazolopyrimidine derivatives

INVENTOR(S): Blettner, Carsten; Dietz, Jochen; Grammenos, Wassilios; Grote, Thomas; Huenger, Udo; Mueller, Bernd; Niedenbrueck, Matthias; Rheinheimer, Joachim; Schaefer, Peter; Schieweck, Frank; Schwoegler, Anja; Nave, Barbara; Scherer, Maria; Strathmann, Siegfried; Schoefl, Ulrich; Stierl, Reinhard

PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 73 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006015728	A1	20060216	WO 2005-EP8192	20050728
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			

Updated Search

10582693

AU 2005270459	A1 20060216	AU 2005-270459	20050728
CA 2573929	A1 20060216	CA 2005-2573929	20050728
EP 1788877	A1 20070530	EP 2005-773888	20050728
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR			
CN 1993050	A 20070704	CN 2005-80026212	20050728
IN 2006KN03942	A 20070622	IN 2006-KN3942	20061228
PRIORITY APPLN. INFO.:		DE 2004-102004037784A	20040803
		WO 2005-EP8192	W 20050728
OTHER SOURCE(S):		MARPAT 144:207360	
GI			




AB Synergistic fungicidal mixts. comprise: (1) a 5-chlor-6-phenyl-7-heterocyclylamino-triazolopyrimidine derivative I, wherein D forms a pyrrolidine, piperidine or azepine ring together with the nitrogen atom, the rings being substituted or not substituted by one or two Me groups or by an Et, Pr or Bu group; and L represents Me, fluorine or chlorine; and (2) at least one active ingredient selected from: (A) azoles; (B) strobilurines; (C) acylalanines; (D) amine derivs.; (E) anilinopyrimidines; (F) dicarboximides; (G) cinnamic acid amides and analoges; (H) antibiotics; (K) dithiocarbamates; (L) heterocyclic compds.; (M) sulfur and copper fungicides; (N) nitrophenyl derivs.; (O) phenylpyrroles; (P) sulfenic acid derivs.; (Q) other fungicides; or (R) growth retardants.

IT 239110-15-7D, mixts. with triazolopyrimidine derivs.  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal compns.)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Updated Search


L12 ANSWER 42 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:1262708 HCAPLUS  
 DOCUMENT NUMBER: 143:473909  
 TITLE: Synergistic fungicide mixture comprising a triazolopyrimidine and a pyridine derivative  
 INVENTOR(S): Tormo I Blasco, Jordi; Grote, Thomas; Scherer, Maria; Stierl, Reinhard; Strathmann, Siegfried; Schoefl, Ulrich; Gewehr, Markus  
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 18 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005112643	A1	20051201	WO 2005-EP4482	20050427
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2005245261	A1	20051201	AU 2005-245261	20050427
CA 2562637	A1	20051201	CA 2005-2562637	20050427
EP 1748692	A1	20070207	EP 2005-742678	20050427
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, LV				
CN 1949973	A	20070418	CN 2005-80014599	20050427
IN 2006KN02974	A	20070608	IN 2006-KN2974	20061013
NO 2006005508	A	20061201	NO 2006-5508	20061129
PRIORITY APPLN. INFO.:			DE 2004-102004023248A	20040507
			WO 2005-EP4482	W 20050427
AB	A synergistic fungicide mixture comprises 5-chloro-7-(4-methylpiperidin-1-yl)-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-a]pyrimidine and 2,6-dichloro-N-(3-chloro-5-trifluoromethylpyridin-2-ylmethyl)benzamide.			
IT	869734-64-5 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicide mixture)			
RN	869734-64-5 HCAPLUS			
CN	Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 5-chloro-7-(4-methyl-1-piperidinyl)-6-(2,4,6-trifluorophenyl)[1,2,4]triazolo[1,5-a]pyrimidine (9CI) (CA INDEX NAME)			
CM	1			
CRN	239110-15-7			



10582693


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 214706-53-3

CMF C17 H15 Cl F3 N5



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 43 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1242496 HCAPLUS

DOCUMENT NUMBER: 143:473906

TITLE: Synergistic fungicidal mixtures comprising triazolopyrimidines

INVENTOR(S): Blettner, Carsten; Gewehr, Markus; Grammenos, Wassilios; Grote, Thomas; Huenger, Udo; Mueller, Bernd; Niedenbrueck, Matthias; Rheinheimer, Joachim; Schaefer, Peter; Schieweck, Frank; Schwoegler, Anja; Wagner, Oliver; Nave, Barbara; Scherer, Maria; Strathmann, Siegfried; Schoefl, Ulrich; Stierl, Reinhard

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 68 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005110080	A2	20051124	WO 2005-EP5070	20050511

Updated Search

WO 2005110080 A3 20060209  
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW  
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG  
EP 1746892 A2 20070131 EP 2005-744652 20050511  
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR  
CN 1953662 A 20070425 CN 2005-80015355 20050511  
PRIORITY APPLN. INFO.: DE 2004-102004024193A 20040513  
DE 2004-102004024797A 20040517  
WO 2005-EP5070 W 20050511  
OTHER SOURCE(S): MARPAT 143:473906  
GI




AB The invention relates to synergistic fungicidal mixts. containing a 5-methyl-7-aminotriazolopyrimidine derivative I, wherein R1 is alkyl, halogenalkyl, alkenyl or cyclopentyl, R2 is hydrogen or alkyl, R1 and R2 together with the nitrogen atom to which they are bound may form a piperidinyl cycle substitutable by a Me group, L1 is fluorine or chlorine, L2, L3 are independently from each other hydrogen, fluorine or chlorine, and at least one active substance selected from azoles, strobilurins, acylalanines, amine derivs., anilinopyrimidines, dicarboximides, cinnamic acid amides and analogs thereof, antibiotics, dithiocarbamates, heterocyclic compds., sulfur and copper fungicides, nitrophenyl derivs., phenylpyrroles, sulfenic acid derivs., other fungicides and growth retardants.

IT 239110-15-7D, mixts. with 5-methyl-7-aminotriazolopyrimidine derivative  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)


RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)




L12 ANSWER 44 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:1196027 HCAPLUS  
 DOCUMENT NUMBER: 143:434112  
 TITLE: Synergistic fungicidal mixtures containing sulfamoyl compounds  
 INVENTOR(S): Tormo i Blasco, Jordi; Grote, Thomas; Scherer, Maria; Stierl, Reinhard; Strathmann, Siegfried; Schoefl, Ulrich; Gewehr, Markus; Mueller, Bernd; Suarez-Cervieri, Miguel Octavio; Niedenbrueck, Matthias  
 PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 43 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005104847	A1	20051110	WO 2005-EP4387	20050423
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2005237235	A1	20051110	AU 2005-237235	20050423
CA 2560341	A1	20051110	CA 2005-2560341	20050423
EP 1744629	A1	20070124	EP 2005-734026	20050423
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
CN 1949970	A	20070418	CN 2005-80013787	20050423
IN 2006KN02521	A	20070601	IN 2006-KN2521	20060904
PRIORITY APPLN. INFO.:				
			DE 2004-102004021766A	20040430
			DE 2004-102004025032A	20040518
			WO 2005-EP4387	W 20050423
OTHER SOURCE(S): MARPAT 143:434112				
GI				




- AB Synergistic fungicidal mixts. contain sulfamoyl compds. I (R1 = H, halo, cyano, alkyl, haloalkyl, alkoxy, alkylthio, alkoxycarbonyl, Ph, benzyl, formyl, or CH:NOA; A = H, alkyl, alkylcarbonyl; R2 = H, halo, cyano, alkyl, haloalkyl, alkoxycarbonyl; R3 = halo, cyano, nitro, alkyl, haloalkyl, alkoxy, alkylthio, alkoxycarbonyl, formyl, or CH:NOA; n = 0, 1, 2, 3, or 4; R4 = H, halo, cyano, alkyl, or haloalkyl) and at least one active substance selected among azoles, strobilurine, acylalanine, amine derivs., anilinopyrimidines, dicarboximides, cinnamides and analogs, dithiocarbamates, heterocyclic compds., sulfur and copper fungicides, nitrophenyl derivs., phenylpyrroles, sulfenic acid derivs., or other fungicides.
- IT 239110-15-7D, mixts. with sulfamoyl compds.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic fungicidal compns.)
- RN 239110-15-7 HCAPLUS
- CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 45 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER: 2005:1123712 HCAPLUS  
 DOCUMENT NUMBER: 143:361644  
 TITLE: Synergistic fungicidal compositions comprising a pyridylmethylbenzamide derivative and dithianon  
 Latorse, Marie-Pascale; Wegmann, Thomas; Gouot, Jean-Marie  
 INVENTOR(S):  
 PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.  
 SOURCE: PCT Int. Appl., 22 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005096817	A1	20051020	WO 2005-EP5202	20050405
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1604571	A1	20051214	EP 2004-356046	20040406
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
EP 1732386	A1	20061220	EP 2005-746280	20050405
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
PRIORITY APPLN. INFO.:			EP 2004-356046	A 20040406
			WO 2005-EP5202	W 20050405
OTHER SOURCE(S):			MARPAT 143:361644.	
GI				



AB Synergistic fungicidal compns. comprise a pyridylmethylbenzamide derivative I [R1 = (un)substituted alkyl or acyl; R2 = H or (un)substituted alkyl; r3, R4 = halo, OH, CN, NO2, SF5, etc.; p, q = 0, 1-4] and dithianon. The composition further optionally comprises an addnl. fungicide, such as fosetyl-Al.

IT 866128-12-3

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)

RN 866128-12-3 HCAPLUS


CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 5,10-dihydro-5,10-dioxonaphtho[2,3-b]-1,4-dithiin-2,3-dicarbonitrile (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7

CMF C14 H8 Cl3 F3 N2 O


10582693



CM 2

CRN 3347-22-6

CMF C14 H4 N2 O2 S2



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 46 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1106849 HCAPLUS

DOCUMENT NUMBER: 143:361642

TITLE: Synergistic ternary fungicidal mixtures

INVENTOR(S): Tormo i Blasco, Jordi; Grote, Thomas; Scherer, Maria; Stierl, Reinhard; Strathmann, Siegfried; Schoefl, Ulrich

PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany

SOURCE: PCT Int. Appl., 38 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: German


FAMILY ACC. NUM. COUNT: 6

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005094583	A1	20051013	WO 2005-EP3213	20050326
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

Updated Search

AU 2005227688      A1      20051013      AU 2005-227688      20050326  
 CA 2558062      A1      20051013      CA 2005-2558062      20050326  
 EP 1732388      A1      20061220      EP 2005-729121      20050326  
 R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,  
 IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, HR, LV, YU  
 CN 1937920      A      20070328      CN 2005-80010641      20050326  
 IN 2006KN02365      A      20070525      IN 2006-KN2365      20060821  
 NO 2006004923      A      20061027      NO 2006-4923      20061027  
 PRIORITY APPLN. INFO.:      DE 2004-102004016084A      20040330  
    WO 2005-EP3213      W      20050326  
 AB Synergistic ternary fungicidal mixts. comprise 5-chloro-7-(4-methylpiperidin-1-yl)-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-  
 a]pyrimidine, a strobilurin derivative (pyraclostrobin or orysastrobin) and a  
 fungicide selected from acylalanines, amine derivs., anilinopyrimidines,  
 antibiotics, azoles, dicarboximides, dithiocarbamates, copper fungicides,  
 nitrophenyl derivs., phenylpyrroles, sulfenic acid derivs., cinnamic acid  
 derivs. and their analogs and anilazine, benomyl, boscalid, carbendazim,  
 carboxin, oxycarboxin, cyazofamid, dazomet, dithianon, famoxadone,  
 fenamidone, fenarimol, fuberidazole, flutolanil, furametpyr,  
 isoprothiolane, mepronil, nuarimol, picobenzamide, probenazole,  
 proquinazid, pyrifenoxy, pyroquilon, quinoxifen, silthiofam, thiabendazole,  
 thifluzamide, thiophanate-Me, tiadinil, tricyclazole, triforine, sulfur,  
 acibenzolar-S-Me, benthiavalicarb, carpropamid, chlorothalonil,  
 cyflufenamid, cymoxanil, dazomet, diclomezine, diclocymet, diethofencarb,  
 edifenphos, ethaboxam, fenhexamid, fentin acetate, fenoxanil, ferimzone,  
 fluazinam, phosphorous acid, fosetyl, fosetyl-aluminum, iprovalicarb,  
 hexachlorobenzene, metrafenone, pencycuron, propamocarb, phthalide,  
 tolclofos-Me, quintozone and zoxamideamt.  
 IT 239110-15-7D, mixts. with triazolopyrimidine and strobilurin  
 derivs.  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
 (synergistic ternary fungicidal mixts.)  
 RN 239110-15-7 HCAPLUS  
 CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-  
 pyridinyl]methyl]- (CA INDEX NAME).



REFERENCE COUNT:      10      THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS  
    RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 47 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN  
 ACCESSION NUMBER:      2005:975584 HCAPLUS  
 DOCUMENT NUMBER:      143:261853  
 TITLE:      Fungicidal compositions comprising an arylamidine  
    derivative and another fungicide  
 INVENTOR(S):      Labourdette, Gilbert  
 PATENT ASSIGNEE(S):      Bayer Cropscience S.A., Fr.  
 SOURCE:      Eur. Pat. Appl., 16 pp.  
    CODEN: EPXXDW

DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1570736	A1	20050907	EP 2004-356031	20040305
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK				
AU 2005224034	A1	20050929	AU 2005-224034	20050303
CA 2553255	A1	20050929	CA 2005-2553255	20050303
WO 2005089547	A1	20050929	WO 2005-EP3284	20050303
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1722629	A1	20061122	EP 2005-739560	20050303
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
BR 2005006546	A	20070227	BR 2005-6546	20050303
CN 1929736	A	20070314	CN 2005-80006968	20050303
IN 2006DN04099	A	20070622	IN 2006-DN4099	20060717
US 2007155802	A1	20070705	US 2006-589011	20060920
PRIORITY APPLN. INFO.:			EP 2004-356031	A 20040305
			WO 2005-EP3284	W 20050303

OTHER SOURCE(S): MARPAT 143:261853

AB A fungicidal composition for protecting plants against fungal diseases is based on N2-phenylamidine derivs. (preferably N-ethyl-N-methyl-N-[4-(chloro-3-trifluoromethylphenoxy)-2,5-xylyl]formamidine (I) or the 4-fluoro analog) and another fungicide, preferably fluoxastrobin or prothioconazole; the active compds. may be mixed beforehand or apply simultaneously, successively, or sep. Thus, a mixture of I 150 + prothioconazole 150 g/ha synergistically controlled wheat powdery mildew (Erysiphe graminis or Blumeria graminis) and wheat leaf spot (Septoria tritici or Mycosphaerella graminicola).

IT 239110-15-7


RL: AGR (Agricultural use); BSU (Biological study, unclassified); BIOL (Biological study); USES (Uses)

(fungicidal compns. comprising arylamidine derivative and another fungicide for protecting plants)

RN 239110-15-7 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]- (CA INDEX NAME)





REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 48 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:902854 HCAPLUS

DOCUMENT NUMBER: 143:207622

TITLE: Synergistic fungicidal composition comprising a pyridylethylbenzamide derivative and a compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungal organisms

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: PCT Int. Appl., 37 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005077901	A1	20050825	WO 2005-EP2563	20050210
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1571143	A1	20050907	EP 2004-356019	20040212
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
AU 2005212839	A1	20050825	AU 2005-212839	20050210
CA 2551145	A1	20050825	CA 2005-2551145	20050210
EP 1751109	A1	20070214	EP 2005-715939	20050210
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
CN 1918125	A	20070221	CN 2005-80004215	20050210
BR 2005006614	A	20070502	BR 2005-6614	20050210
US 2007105915	A1	20070510	US 2006-587802	20061010
PRIORITY APPLN. INFO.:			EP 2004-356019	A 20040212
			EP 2004-356096	A 20040611
			US 2004-637120P	P 20041217
			WO 2005-EP2563	W 20050210

10582693

OTHER SOURCE(S):  
GI

MARPAT 143:207622



AB Aa synergistic fungicidal composition comprises a pyridylethylbenzamide derivative

I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, amino, phenoxy, etc.; p = 1-4; q = 1-5) and a compound capable of inhibiting the transport of electrons of the respiratory chain in phytopathogenic fungi. Optionally, the composition further comprises an addnl. fungicide.

IT 862468-25-5

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 862468-25-5 HCAPLUS

CN Benzeneacetic acid,  $\alpha$ -(methoxyimino)-2-[[[(E)-[1-[3-(trifluoromethyl)phenyl]ethylidene]amino]oxy]methyl]-, methyl ester, ( $\alpha$ E)-, mixt. with N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 658066-35-4

CMF C16 H11 Cl F6 N2 O




CM 2

CRN 141517-21-7

CMF C20 H19 F3 N2 O4

Double bond geometry as shown.

Updated Search



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 49 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:891136 HCAPLUS

DOCUMENT NUMBER: 143:224124

TITLE: Synergistic fungicidal composition comprising a pyridylethylbenzamide derivative and an ergosterol biosynthesis inhibitor

INVENTOR(S): Grosjean-Cournoyer, Marie-Claire; Gouot, Jean-Marie

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 36 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005077183	A1	20050825	WO 2005-EP2568	20050210
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1563731	A1	20050817	EP 2004-356014	20040212
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
AU 2005213186	A1	20050825	AU 2005-213186	20050210
CA 2551149	A1	20050825	CA 2005-2551149	20050210
EP 1729576	A1	20061213	EP 2005-715942	20050210
R:	AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR			
CN 1917760	A	20070221	CN 2005-80004216	20050210
BR 2005006617	A	20070502	BR 2005-6617	20050210
US 2007123541	A1	20070531	US 2006-587801	20060731
PRIORITY APPLN. INFO.:			EP 2004-356014	A 20040212
			US 2004-636956P	P 20041217


10582693

WO 2005-EP2568

W 20050210

OTHER SOURCE(S):  
GI

MARPAT 143:224124



AB A composition comprising a pyridylethylbenzamide derivative I (X = halo, alkyl  
or

haloalkyl; Y = X, alkenyl, alkynyl, amino, phenoxy, etc.; p = 1-4; q =  
1-5) and an ergosterol biosynthesis inhibitor are synergistic fungicides.  
The composition further comprises addnl. fungicide.

IT 861959-89-9

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 861959-89-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethyl)-, mixt. with  $\alpha$ -[2-(4-chlorophenyl)ethyl]- $\alpha$ -  
(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)

CM 1

CRN 658066-35-4


CMF C16 H11 Cl F6 N2 O



CM 2

CRN 107534-96-3

CMF C16 H22 Cl N3 O



Updated Search

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 50 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:891135 HCAPLUS

DOCUMENT NUMBER: 143:207621

TITLE: Synergistic fungicidal compositions comprising a pyridylethylbenzamide derivative and a methionine biosynthesis inhibitor

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 19 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005077182	A1	20050825	WO 2005-EP2567	20050210
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1570737	A1	20050907	EP 2004-356015	20040212
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
AU 2005213185	A1	20050825	AU 2005-213185	20050210
CA 2551148	A1	20050825	CA 2005-2551148	20050210
EP 1713335	A1	20061025	EP 2005-715941	20050210
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
CN 1917761	A	20070221	CN 2005-80004217	20050210
BR 2005006619	A	20070502	BR 2005-6619	20050210
US 2007137273	A1	20070621	US 2006-588360	20061010
PRIORITY APPLN. INFO.:			EP 2004-356015	A 20040212
			US 2004-636999P	P 20041217
			WO 2005-EP2567	W 20050210

OTHER SOURCE(S): MARPAT 143:207621

GI



AB Synergistic fungicidal compns. comprise a pyridylethylbenzamide derivative I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, etc.; p = 1-4; q = 1-5) and a compound capable of inhibiting methionine biosynthesis. Optionally, the composition further comprises an addnl. fungicide.

IT 862474-58-6

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 862474-58-6 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)-, mixt. with 4-cyclopropyl-6-methyl-N-phenyl-2-pyrimidinamine (9CI) (CA INDEX NAME)

CM 1

CRN 658066-35-4


CMF C16 H11 Cl F6 N2 O



CM 2

CRN 121552-61-2

CMF C14 H15 N3



REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 51 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:891134 HCAPLUS

DOCUMENT NUMBER: 143:207620

TITLE: Synergistic fungicidal compositions comprising a pyridylethylbenzamide derivative and a compound capable of inhibiting spore germination or mycelium growth by acting on different metabolic routes

INVENTOR(S): Grosjean-Cournoyer, Marie-Claire; Gouot, Jean-Marie

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 35 pp.


CODEN: PIXXD2

DOCUMENT TYPE: Patent

Updated Search

LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

OTHER SOURCE(S) : MARPAT 143:207620  
GI



AB Synergistic fungicidal comps. comprise at least a pyridylethylbenzamide derivative I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, etc.; p = 1-4; q = 15) and a compound capable of inhibiting spore germination or mycelium growth by acting on different metabolic routes. A composition optionally contains an addnl. fungicidal compound

IT 862483-05-4  
RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)

RN 862483-05-4 HCAPLUS

CN Manganese, [[2-[(dithiocarboxy)amino]ethyl]carbamodithioato(2-)-κS,κS']-, mixt. with N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)benzamide and [[2-

Updated Search


10582693

[(dithiocarboxy)amino]ethyl]carbamdithioato(2-)- $\kappa$ S, $\kappa$ S']zinc  
(9CI) (CA INDEX NAME)

CM 1

CRN 658066-35-4

CMF C16 H11 Cl F6 N2 O




CM 2

CRN 12427-38-2

CMF C4 H6 Mn N2 S4

CCI CCS




CM 3

CRN 12122-67-7

CMF C4 H6 N2 S4 Zn

CCI CCS



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 52 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:891133 HCAPLUS

DOCUMENT NUMBER: 143:207619

TITLE: Synergistic fungicidal composition comprising a pyridylethylbenzamide derivative and a compound


Updated Search



capable of inhibiting mitosis and cell division  
 INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire  
 PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.  
 SOURCE: PCT Int. Appl., 18 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 2  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005077180	A1	20050825	WO 2005-EP2565	20050210
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
EP 1563733	A1	20050817	EP 2004-356018	20040212
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK			
EP 1713336	A1	20061025	EP 2005-726411	20050210
EP 1713336	B1	20070704		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS			
PRIORITY APPLN. INFO.:			EP 2004-356018	A 20040212
			US 2004-636954P	P 20041217
			WO 2005-EP2565	W 20050210

OTHER SOURCE(S): MARPAT 143:207619  
 GI



AB A composition comprising at least a pyridylethylbenzamide derivative I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, amino, phenoxy, etc.; p = 1-4; q = 1-5) or a 2-pyridine N-oxide thereof, and a compound capable of inhibiting mitosis and cell division are synergistic fungicides. The composition optionally further comprises an addnl. fungicide.

IT 862490-42-4  
 RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)

10582693

(synergistic fungicidal composition)


RN 862490-42-4 HCAPLUS

CN Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester, mixt. with  
N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-  
(trifluoromethyl)benzamide (9CI) (CA INDEX NAME)

CM 1

CRN 658066-35-4


CMF C16 H11 Cl F6 N2 O



CM 2

CRN 10605-21-7

CMF C9 H9 N3 O2



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS  
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 53 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:891132 HCAPLUS

DOCUMENT NUMBER: 143:207618

TITLE: Synergistic fungicidal composition comprising a  
pyridylethylbenzamide derivative and a melanin  
biosynthesis inhibitor

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience SA, Fr.

SOURCE: PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005077179	A1	20050825	WO 2005-EP2564	20050210
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,				

Updated Search

CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW  
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1563732 A1 20050817 EP 2004-356016 20040212

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK


PRIORITY APPLN. INFO.:

EP 2004-356016 A 20040212

US 2004-637033P P 20041217

OTHER SOURCE(S): MARPAT 143:207618

GI



AB A composition comprising a pyridylethylbenzamide derivative I (X = halo, alkyl or


haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, etc.; p = 1-4; q = 1-5) or their 2-pyridine N-oxides, in combination with melanin biosynthesis inhibitors are synergistic fungicides. The composition optionally comprises an addnl. fungicide.

IT 658066-35-4D, mixts. with melanin biosynthesis inhibitors

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal comps.)

RN 658066-35-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)- (CA INDEX NAME)



REFERENCE COUNT:

1

THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 54 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:810703 HCAPLUS

DOCUMENT NUMBER: 143:188298

TITLE: Synergistic fungicidal compositions comprising a

Updated Search

pyridylethylbenzamide derivative and an antimitotic fungicide

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie Claire

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: Eur. Pat. Appl., 10 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1563733	A1	20050817	EP 2004-356018	20040212
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
WO 2005077180	A1	20050825	WO 2005-EP2565	20050210
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1713336	A1	20061025	EP 2005-726411	20050210
EP 1713336	B1	20070704		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
PRIORITY APPLN. INFO.:			EP 2004-356018	A 20040212
			US 2004-636954P	P 20041217
			WO 2005-EP2565	W 20050210

OTHER SOURCE(S): MARPAT 143:188298

GI



AB Synergistic fungicidal compns. comprise a pyridylethylbenzamide derivative I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, etc.; p = 1-4; q = 1-5) and an antimitotic fungicide, such as carbendazim, fuberidazole and thiabendazole. Optionally, the composition further comprising an addnl. fungicide.


IT 658066-35-4D, mixts. with antimitotics

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal compns.)

RN 658066-35-4 HCAPLUS

10582693

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)- (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 55 OF 58 HCAPLUS. COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:810702 HCAPLUS

DOCUMENT NUMBER: 143:188297

TITLE: Synergistic fungicidal composition comprising a pyridylethylbenzamide derivative and a melanin biosynthesis inhibitor

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1563732	A1	20050817	EP 2004-356016	20040212
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
WO 2005077179	A1	20050825	WO 2005-EP2564	20050210
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRIORITY APPLN. INFO.: EP 2004-356016 A 20040212  
US 2004-637033P P 20041217

OTHER SOURCE(S): MARPAT 143:188297  
GI

Updated Search



AB Synergistic fungicidal composition comprises a pyridylethylbenzamide derivative I


(X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, etc.; p = 1-4; q = 1-5) and a melanin biosynthesis inhibitor (fenoxanil, carpropamid, dyclomycet, etc.). Optionally, the composition further comprises an addnl. fungicide.

IT 658066-35-4D, mixts. with melanin biosynthesis inhibitors

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal comps.)

RN 658066-35-4 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)- (CA INDEX NAME)



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 56 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:810701 HCAPLUS

DOCUMENT NUMBER: 143:188296

TITLE: Synergistic fungicidal composition comprising a pyridylethylbenzamide derivative and an ergosterol biosynthesis inhibitor

INVENTOR(S): Gouot, Jean-Marie; Grosjean-Cournoyer, Marie-Claire

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: Eur. Pat. Appl., 11 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1563731	A1	20050817	EP 2004-356014	20040212
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
AU 2005213186	A1	20050825	AU 2005-213186	20050210
CA 2551149	A1	20050825	CA 2005-2551149	20050210
WO 2005077183	A1	20050825	WO 2005-EP2568	20050210

10582693

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1729576 A1 20061213 EP 2005-715942 20050210

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR

CN 1917760 A 20070221 CN 2005-80004216 20050210

BR 2005006617 A 20070502 BR 2005-6617 20050210

US 2007123541 A1 20070531 US 2006-587801 20060731


PRIORITY APPLN. INFO.: EP 2004-356014 A 20040212

US 2004-636956P P 20041217

WO 2005-EP2568 W 20050210

OTHER SOURCE(S): MARPAT 143:188296

GI



AB Synergistic fungicidal compns. comprise a pyridylethylbenzamide derivative I (X = halo, alkyl or haloalkyl; Y = X, alkenyl, alkynyl, alkoxy, amino, phenoxy, etc.; p = 1-4; q = 1-5) and an ergosterol biosynthesis inhibitor. Optionally, the composition further comprises an addnl. fungicide.

IT 861959-89-9

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses) (synergistic fungicidal composition)

RN 861959-89-9 HCAPLUS

CN Benzamide, N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl]-2-(trifluoromethyl)-, mixt. with  $\alpha$ -[2-(4-chlorophenyl)ethyl]- $\alpha$ -(1,1-dimethylethyl)-1H-1,2,4-triazole-1-ethanol (9CI) (CA INDEX NAME)


CM 1

CRN 658066-35-4

CMF C16 H11 Cl F6 N2 O

Updated Search


10582693



CM 2

CRN 107534-96-3

CMF C16 H22 Cl N3 O



REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 57 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:564641 HCAPLUS

DOCUMENT NUMBER: 143:97266

TITLE: A preparation of N-(2-pyridinylethyl)benzamide derivatives, useful as agricultural fungicides

INVENTOR(S): Coqueron, Pierre-Yves; Desbordes, Philippe; Mansfield, Darren James; Rieck, Heiko; Grosjean-Cournoyer, Marie-Claire; Villier, Alain; Genix, Pierre

PATENT ASSIGNEE(S): Bayer Cropscience S. A., Fr.

SOURCE: PCT Int. Appl., 63 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:




PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005058828	A1	20050630	WO 2004-EP14899	20041216
<p>W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW</p> <p>RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG</p>				

Updated Search



10582693

EP 1694648 A1 20060830 EP 2004-804479 20041216  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS  
 CN 1898207 A 20070117 CN 2004-80038096 20041216  
 BR 2004017104 A 20070206 BR 2004-17104 20041216  
 JP 2007516975 T 20070628 JP 2006-544397 20041216  
 US 2007099965 A1 20070503 US 2006-582693 20060613  
 PRIORITY APPLN. INFO.: EP 2003-356205 A 20031219  
 WO 2004-EP14899 W 20041216  
 OTHER SOURCE(S): CASREACT 143:97266; MARPAT 143:97266  
 GI




AB The invention relates to a preparation of N-(2-pyridinylethyl)benzamide derivs. of formula I [wherein: R1 and R2 are independently H, halogen, CN, OH, or NH2, etc.; R3 and R4 are independently H, alkyl, alk(en/yn)yl, or alkylamino, etc.; R5 is H, CN, CHO, or OH, etc.; R6 is a substituted 2-pyridyl; R7 is a substituted phenyl], useful as agricultural fungicides. For instance, N-(2-pyridinylethyl)benzamide derivative II was prepared via amidation of 2-(trifluoromethyl)benzoic acid by butanamine derivative III with a yield of 57%. For instance, at 330 ppm for compound II good (at least 50%) to total protection was observed (in vitro test on pyrenophora teres).

IT 856699-26-8P  
 RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)  
 (preparation of N-(2-pyridinylethyl)benzamide derivs. useful as agricultural fungicides)

RN 856699-26-8 HCAPLUS  
 CN Benzamide, 2,3-dichloro-N-[2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]propyl]- (9CI) (CA INDEX NAME)

Updated Search



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L12 ANSWER 58 OF 58 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:393965 HCAPLUS

DOCUMENT NUMBER: 142:406015

TITLE: Synergistic fungicidal composition comprising a pyridylmethylbenzamide derivative and tolylfluanid

INVENTOR(S): Wegmann, Thomas; Mercer, Richard; Latorse, Marie-Pascale

PATENT ASSIGNEE(S): Bayer CropScience S.A., Fr.

SOURCE: Eur. Pat. Appl., 9 pp.

CODEN: EPXXDW


DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1527683	A1	20050504	EP 2003-356170	20031031
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
CA 2534029	A1	20050707	CA 2004-2534029	20041028
WO 2005060747	A1	20050707	WO 2004-EP13117	20041028
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1681926	A1	20060726	EP 2004-791106	20041028
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
BR 2004012627	A	20060926	BR 2004-12627	20041028
JP 2007509907	T	20070419	JP 2006-537271	20041028
US 2007072829	A1	20070329	US 2006-576969	20060425
PRIORITY APPLN. INFO.:			EP 2003-356170	A 20031031
			WO 2004-EP13117	W 20041028
OTHER SOURCE(S):		MARPAT 142:406015		
GI				



AB A synergistic fungicidal composition comprises a pyridylmethylbenzamide derivative

I [R1 = H, (un)substituted alkyl or acyl; R2 = H or (un)substituted alkyl; R3, R4 = halo, OH, CN, NO2, SF5, trialkylsilyl, etc.; p, q = 0, 1-4] and tolylfluanid.

IT 850246-94-5

RL: AGR (Agricultural use); BIOL (Biological study); USES (Uses)  
(synergistic fungicidal composition)


RN 850246-94-5 HCAPLUS

CN Benzamide, 2,6-dichloro-N-[[3-chloro-5-(trifluoromethyl)-2-pyridinyl]methyl]-, mixt. with 1,1-dichloro-N-[(dimethylamino)sulfonyl]-1-fluoro-N-(4-methylphenyl)methanesulfenamide (9CI) (CA INDEX NAME)

CM 1

CRN 239110-15-7


CMF C14 H8 Cl3 F3 N2 O



CM 2

CRN 731-27-1

CMF C10 H13 Cl2 F N2 O2 S2



REFERENCE COUNT:

3

THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS

Updated Search

10582693

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

Updated Search